

# ACETAMIPRID 200SP

A soluble powder systemic, contact and stomach insecticide for the control of aphids on tobacco and aphids and white fly on cotton.

Reg.No.: 19-D-166-79  
TRB.No.: 22-25-G-30

**Composition** mass/mass  
Acetamiprid.....200g/kg  
Inert ingredients .....to 1kg

**Chemical group:** chloro-nicotinyl

50g Net

KEEP OUT OF REACH OF CHILDREN

Supplied by Maguires-  
A member of  
CropLife Zimbabwe



INSECTICIDE FOR  
AGRICULTURAL USE

1. Empty these clean container after use.  
2. Refillure holes in bottom.  
3. Return to Maguires recycling facility or Return to your nearest recycling facility.

Manufactured by:

NOVA AGRO (HK) LTD  
6TH FLOOR, WYNDHAM PLACE,  
44 WYNDHAM STREET,  
CENTRAL HONG KONG

Registration held by:

MAGCHEM (PVT) LIMITED,  
2274 TILBURY ROAD,  
WORKINGTON, HARARE,  
ZIMBABWE

# ACETAMIPRID 200SP

A soluble powder systemic, contact and stomach insecticide for the control of aphids on tobacco and aphids and white fly on cotton.

Reg.No.: 19-D-166-79  
TRB.No.: 22-25-G-30

**Composition** mass/mass  
Acetamiprid.....200g/kg  
Inert ingredients .....to 1kg

**Chemical group:** chloro-nicotinyl

100x50g Net

KEEP OUT OF REACH OF CHILDREN

Supplied by Maguires-  
A member of  
CropLife Zimbabwe



INSECTICIDE FOR  
AGRICULTURAL USE

1. Empty these clean container after use.  
2. Refillure holes in bottom.  
3. Return to Maguires recycling facility or Return to your nearest recycling facility.

Manufactured by:

NOVA AGRO (HK) LTD  
6TH FLOOR, WYNDHAM PLACE,  
44 WYNDHAM STREET,  
CENTRAL HONG KONG

Registration held by:

MAGCHEM (PVT) LIMITED  
2274 TILBURY ROAD,  
WORKINGTON, HARARE,  
ZIMBABWE

## ACETAMIPRID 200SP

**Registration Number: 19-D-166-79**

**DIRECTIONS FOR USE** Use only as directed.

**ACETAMIPRID 200SP** is not compatible with chemicals with strong alkaline reaction upon dilution or strong alkaline spray water. Use a buffer to adjust the pH to between 5.0 and 5.5.

### DOSAGE RATES

CROP/PEST	ACETAMIPRID 200SP PER HECTARE	REMARKS
COTTON Aphids ( <i>Aphis gossypii</i> ) Jassids ( <i>Empoasca fascialis</i> )	50 ml+ a buffer (see above)	Apply the recommended dose per hectare when signs of damage occur. Systemic activity of the product is impaired when plants are under stress from drought or waterlogged conditions.
TOBACCO TRB Number 22-25-G-30 Aphids	15-30 grams	Apply the recommended dose per hectare when pest signs appear.

### WARNINGS

- WITHHOLDING PERIODS: Cotton.....21 days
- Handle with care.
- Do not graze treated cotton fields.
- Harmful when ingested, inhaled or by skin contact.
- Cause moderate eye and skin irritation.
- Toxic to fish, bees and wild life.
- Keep out of reach of children, uninformed persons and animals.
- Store away from food and feed.
- In the case of accidental poisoning, CONSULT A DOCTOR AND SHOW HIN THIS LABEL.

### PRECAUTIONS

- Prevent inhalation and contact with skin.
- Accidental splashes should be washed off immediately.
- Wear face shield and rubber gloves when handling the concentrate.
- Do not eat, drink or smoke whilst applying the insecticide or before washing hands and face.
- Prevent contamination of wells, dams, lakes and rivers.
- Clean applicator after use and dispose of wash water where it will not contaminate crops, grazing, rivers or dams.
- Destroy empty containers and do not use for any other purpose. Containers and packages must be completely emptied before being disposed of.

### SAFETY PRECAUTIONS

#### Empty container disposal

invert the empty container over the spray tank or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a minimum of 10% of the container. Add the rinsings to the contents of the spray tank. Destroy the empty container by perforation and flattening. Return to supplier for recycling. DO NOT use for any other purpose. Dispose of the wash water at a site for the disposal of pesticides.

#### Decontamination of sprayer

Clean applicator thoroughly after use and ensure that all traces of **ACETAMIPRID 200SP** are removed. Make use of the following method;

- Drain and rinse tank, spray boom and hoses with clean water for at least 10 minutes
- Fill tank with clean water and add it to 1 litre household bleach (5%) or 1.5 Litres of household bleach (3.5%) per 200 Litres of water. Rinse hoses and spray boom and leave in tank for 15 minutes whilst agitating. Drain through nozzle outlets.
- Repeat step (b) and thereafter, rinse thoroughly with clean water and dispose of the wash water at a site designated for the disposal of pesticides.

### USE RESTRICTIONS

Do not apply more than twice per season to minimize development of resistance to **ACETAMIPRID 200SP**.

### SYMPTOMS OF POISONING

Symptoms similar to those caused by nicotine poisoning. Apathetic state, depressed muscular tone, respiratory disturbances and trembling; muscular cramps also possible in severe cases of poisoning.

### FIRST AID

1. If any of the above symptoms occur, particularly if contamination is likely, STOP WORK.
2. Remove contaminated clothing and wash skin and hair thoroughly.
3. If swallowed, induce vomiting without delay by tickling the back of the throat.
4. CALL A DOCTOR AND SHOW HIM THIS LABEL.

### NOTE TO PHYSICIAN

No specific antidote. Treat symptomatically.

**TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.**

**THIS PRODUCT WHEN STORED IN ITS UNOPENED, ORIGINAL CONTAINER AWAY FROM DIRECT SUNLIGHT AND IN A COOL, DRY PLACE WILL BE FIT FOR USE FOR AT LEAST 36 MONTHS.**

### DISCLAIMER

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water; compatibility with other substances not indicated on the label and the occurrence of resistance of weeds against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier or registration holder in the event of any uncertainty.

**Batch No.: 20240730 Date of Mfg.: 30 JUL. 2024 Date of EXP.: 30 JUL. 2027**

#### Manufactured by:

NOVA AGRO (HK) LTD  
6TH FLOOR, WYNDHAM PLACE,  
44 WYNDHAM STREET,  
CENTRAL HONG KONG

#### Registration held by:

MAGCHEM (PVT) LIMITED  
2274 TILBURY ROAD,  
WORKINGTON, HARARE,  
ZIMBABWE