

AMPLIGO.

Version 9.0 Revision Date: 15.04.2016 SDS Number: S1377529350 This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : **AMPLIGO.**

Design code : A15397G

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Insecticide

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG
Postfach
CH-4002 Basel
Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address : sds.ch@syngenta.com

1.4 Emergency telephone number

**Emergency telephone
number** : +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Acute toxicity, Category 4 H332: Harmful if inhaled.

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

AMPLIGO.

Version 9.0	Revision Date: 15.04.2016	SDS Number: S1377529350	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

Hazard statements	:	H302 + H332 H410	Harmful if swallowed or if inhaled Very toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	EUH208 EUH401	Contains 1,2-benzisothiazol-3-one. May produce an allergic reaction. To avoid risks to human health and the environment, comply with the instructions for use.
Precautionary statements	:	Prevention: P261 P264 P273 Response: P304 + P340 + P312 P391 Disposal: P501	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Avoid release to the environment. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:
lambda-cyhalothrin (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
chlorantraniliprole	500008-45-7	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - < 10
lambda-cyhalothrin (ISO)	91465-08-6 415-130-7 415-130-7	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 3 - < 7

AMPLIGO.

Version 9.0 Revision Date: 15.04.2016 SDS Number: S1377529350 This version replaces all previous versions.

		H410	
poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-	90093-37-1 618-446-5	Eye Irrit. 2; H319	>= 3 - < 10
solvent naphtha (petroleum), heavy arom.	64742-94-5 265-198-5 01-2119451151-53	Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 2.5 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	< 0.05

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Aspiration may cause pulmonary oedema and pneumonitis.
Skin contact paresthesia effects (itching, tingling, burning or numbness) are transient, lasting up to 24 hours.

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, ver-

AMPLIGO.

Version 9.0	Revision Date: 15.04.2016	SDS Number: S1377529350	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

miculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Refer to disposal considerations listed in section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
chlorantraniliprole	500008-45-7	TWA	10 mg/m ³ (Total dust)	Supplier
	500008-45-7	TWA	5 mg/m ³ (Respirable dust)	Supplier
	500008-45-7	TWA	5 mg/m ³	Syngenta
lambda-cyhalothrin (ISO)	91465-08-6	TWA	0.04 mg/m ³ (Skin)	Syngenta
solvent naphtha (petroleum), heavy arom.	64742-94-5	TWA	20 ppm 100 mg/m ³	Supplier

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

If airborne mists or vapors are generated, use local exhaust ventilation controls.

Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Material : Nitrile rubber

Break through time : > 480 min

Glove thickness : 0.5 mm

Remarks

: The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Skin and body protection : Assess the exposure and select chemical resistant clothing based on the potential for contact and the permeation / penetration characteristics of the clothing material.
Wash with soap and water after removing protective clothing.
Decontaminate clothing before re-use, or use disposable equipment (suits, aprons, sleeves, boots, etc.)
Wear as appropriate:
impervious protective suit

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a half face mask
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Use only respiratory protection equipment with CE-symbol including four digit test number.

Filter type : Combined particulates and organic vapour type (A-P)

Protective measures : The use of technical measures should always have priority

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.
Personal protective equipment should be certified to appropriate standards.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: suspension
Colour	: light beige to brown
Odour	: aromatic
pH	: 4 - 8, Concentration: 1 % w/v
Flash point	: > 101 °C Method: Pensky-Martens c.c.
Density	: 1.08 g/cm ³
Auto-ignition temperature	: > 650 °C
Viscosity	
Viscosity, dynamic	: 41.7 - 286 mPa.s (40 °C) 56.1 - 349 mPa.s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

9.2 Other information

Surface tension	: 37.3 mN/m, 100 % w/v
-----------------	------------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3 "Possibility of hazardous reactions".

10.2 Chemical stability

The product is stable when used in normal conditions

10.3 Possibility of hazardous reactions

Hazardous reactions	: No hazardous reactions by normal handling and storage ac-
---------------------	---

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

according to provisions.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : No substances are known which lead to the formation of hazardous substances or thermal reactions.

10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapors.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.91 mg/l
Exposure time: 4 h
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

chlorantraniliprole:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat, female): 56 mg/kg
LD50 (Rat, male): 79 mg/kg
Acute toxicity estimate: 100 mg/kg
Method: Converted acute toxicity point estimate

Acute inhalation toxicity : LC50 (Rat, male and female): 0.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

Acute dermal toxicity : LD50 (Rat, female): 696 mg/kg
LD50 (Rat, male): 632 mg/kg
Acute toxicity estimate: 1,100 mg/kg
Method: Converted acute toxicity point estimate

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:
Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

1,2-benzisothiazol-3(2H)-one:
Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Skin corrosion/irritation

Product:

Species: Rabbit
Result: No skin irritation

Components:

chlorantraniliprole:

Species: Rabbit
Result: No skin irritation

lambda-cyhalothrin (ISO):

Species: Rabbit
Result: No skin irritation
Remarks: May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia.

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Species: Rabbit
Result: No skin irritation

1,2-benzisothiazol-3(2H)-one:

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Species: Rabbit
Result: No eye irritation

Components:

chlorantraniliprole:

Species: Rabbit
Result: No eye irritation

lambda-cyhalothrin (ISO):

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

Species: Rabbit
Result: Mild eye irritation

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Species: Rabbit
Result: Eye irritation

1,2-benzisothiazol-3(2H)-one:

Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Test Type: Buehler Test
Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.

Components:

chlorantraniliprole:

Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.

lambda-cyhalothrin (ISO):

Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.

1,2-benzisothiazol-3(2H)-one:

Result: Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Components:

chlorantraniliprole:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

lambda-cyhalothrin (ISO):

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

chlorantraniliprole:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

lambda-cyhalothrin (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

AMPLIGO.

Version 9.0	Revision Date: 15.04.2016	SDS Number: S1377529350	This version replaces all previous versions.
----------------	------------------------------	----------------------------	--

Reproductive toxicity

Components:

chlorantraniliprole:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

lambda-cyhalothrin (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Components:

chlorantraniliprole:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

chlorantraniliprole:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

chlorantraniliprole:

Remarks: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

lambda-cyhalothrin (ISO):

Remarks: No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

Components:

chlorantraniliprole:

No aspiration toxicity classification

solvent naphtha (petroleum), heavy arom.:

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l
Exposure time: 96 h

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

Remarks: Based on test results obtained with similar product.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00086 mg/l
Exposure time: 48 h
Remarks: Based on test results obtained with similar product.

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 75 mg/l
Exposure time: 72 h
Remarks: Based on test results obtained with similar product.

EbC50 (Pseudokirchneriella subcapitata (green algae)): 27 mg/l
Exposure time: 72 h
Remarks: Based on test results obtained with similar product.

Components:

chlorantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.8 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0116 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): > 2 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0.11 mg/l
Exposure time: 90 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.00447 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0.0025 mg/l
Exposure time: 28 d
Species: Chironomus riparius (harlequin fly)

M-Factor (Chronic aquatic toxicity) : 10

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 0.21 µg/l
Exposure time: 96 h

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.078 µg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.36 µg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 10,000

: 10,000

Toxicity to bacteria : EC50 (activated sewage sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.031 µg/l
Exposure time: 300 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.002 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0.00022 µg/l
Exposure time: 28 d
Species: Americamysis

M-Factor (Chronic aquatic toxicity) : 100,000

10,000

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 100 - 500 mg/l
Exposure time: 96 h

Toxicity to bacteria : EC50 (Pseudomonas putida): > 1,000 mg/l

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

solvent naphtha (petroleum), heavy arom.:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

12.2 Persistence and degradability

Components:

chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

lambda-cyhalothrin (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 7 d
Remarks: Not persistent in water.

12.3 Bioaccumulative potential

Components:

chlorantraniliprole:

Bioaccumulation : Remarks: Does not bioaccumulate.

lambda-cyhalothrin (ISO):

Bioaccumulation : Remarks: Lambda-cyhalothrin bioaccumulates.

12.4 Mobility in soil

Components:

chlorantraniliprole:

Distribution among environmental compartments : Remarks: The product is not expected to be mobile in soil.

lambda-cyhalothrin (ISO):

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Percentage dissipation: 50 % (DT50: 56 d)
Remarks: Not persistent in soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

chlorantraniliprole:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

lambda-cyhalothrin (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

12.6 Other adverse effects

Product:

Additional ecological information : Remarks: Classification of the product is based on the summation of the concentrations of classified components.

Components:

chlorantraniliprole:

Additional ecological information : Remarks: No data available

lambda-cyhalothrin (ISO):

Additional ecological information : Remarks: No data available

poly(oxy-1,2-ethanediyl), alpha-phosphono-omega-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Additional ecological information : Remarks: No data available

solvent naphtha (petroleum), heavy arom.:

Additional ecological information : Remarks: No data available

1,2-benzisothiazol-3(2H)-one:

Additional ecological information : Remarks: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

SECTION 14: Transport information

14.1 UN number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORANTRANILIPROLE AND LAMBDA-CYHALOTHRIN)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORANTRANILIPROLE AND LAMBDA-CYHALOTHRIN)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORANTRANILIPROLE AND LAMBDA-CYHALOTHRIN)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLORANTRANILIPROLE AND LAMBDA-CYHALOTHRIN)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (CHLORANTRANILIPROLE AND LAMBDA-CYHALOTHRIN)

14.3 Transport hazard class(es)

ADN	: 9
ADR	: 9
RID	: 9
IMDG	: 9
IATA	: 9

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (E)
RID	

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA

Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H311	: Toxic in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Sub-

AMPLIGO.

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
9.0	15.04.2016	S1377529350	

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN