

**DIRECTIONS FOR USE:** USE ONLY AS DIRECTED.

Mix the required quantity of **Antracol 70 WG** with a little water to form a thick cream.

Add the rest of the water and agitate well.

For period that has to be allowed between last application and harvest see “**WARNINGS/PRE HARVEST INTERVALS**”.

**APPLICATION RATE:**

CROPS/DISEASE	APPLICATION RATE	APPLICATION
<b>POTATOES</b> Early blight ( <i>Alternaria solani</i> )	30 g in 15 ℓ water as high volume sprays.	Commence spraying when blight conditions (cool, overcast conditions followed by humid weather clearing to warm) occur and continue at 7 - 10 day intervals. Repeat after rain or overhead irrigation.
Late blight ( <i>Phytophthora infestans</i> )	32 g in 16 ℓ Knapsack Sprayer.	
	200 g / 100 ℓ water as high volume sprays (500 - 2000 ℓ / ha). More than 2 kg / ha is unnecessary on potatoes.	

RE-ENTRY: **DO NOT** enter treated area for 12 hours after use of fungicide application.

**WARNINGS/PRE HARVEST INTERVALS :**

ALLOW 3 DAYS BETWEEN LAST APPLICATION AND HARVEST OF POTATOES.

**COMPATIBILITY:**


**Antracol 70 WG** is compatible with most insecticides and most fungicides, wettable sulphur and copper oxychloride and minor element deficiency sprays. However, a pre-test on the physical compatibility and a plant safety test is recommended before widespread use of such a combination. When mixing spray, add insecticide last.

Bayer



Reg. No. 25-B-14-174

CONTENTS: 500 g



**HARMFUL IF SWALLOWED**

**COMPOSITION:** **MASS/MASS**  
Propineb (dithiocarbamate) ..... 700 g/kg  
Inert ingredients ..... 300 g/kg

**Chemical Group : dithiocarbamate**

**A FUNGICIDE FOR THE CONTROL OF THE DISEASES MENTIONED ON THE CROPS LISTED.**

Packed For:  
Bayer Zimbabwe (Pvt) Ltd  
P.O. Box AY 78, Amby, Harare, Zimbabwe.  
Tel. 487211/487242

Manufactured by: Bayer AG, Germany  
**Antracol**® is a registered trademark of the Bayer Group

Batch No.: See on pack

Date of Manufacture: See on pack

ZIM0625/Antracol 70 WG 500g  
Code: ZW89956587A



CAUTION

## TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

THIS PRODUCT WHEN STORED IN ITS UNOPENED ORIGINAL CONTAINER AWAY FROM DIRECT SUNLIGHT AND IN A COOL, DRY PLACE WILL BE FIT FOR USE FOR AT LEAST 24 MONTHS.

### PRECAUTIONS:

1. **HANDLE WITH CARE;** avoid contact. Poisonous when swallowed, inhaled or in contact with the skin.
2. **WEAR PROTECTIVE CLOTHING** i.e. overalls, rubber gloves, rubber boots, goggles and a facemask while handling or applying **Antracol WG**.
3. **DO NOT** eat, drink or smoke whilst mixing, applying, handling or before washing hands and face with soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
4. Remove protective clothing on completion of spraying, wash thoroughly with soap and water, and wash contaminated clothing daily.
5. **KEEP OUT OF REACH OF CHILDREN AND UNINFORMED PERSONS.**
6. Avoid drift of spray on to other crops, grazing, rivers, dams and areas not under treatment.
7. **VERY DANGEROUS TO FISH AND AQUATIC ORGANISMS.**
8. **DO NOT CONTAMINATE DRINKING POOLS, DAMS, RIVERS AND WATERWAYS.**
9. **KEEP APART FROM FOOD AND FOODSTUFFS.**
10. Store in original container and **KEEP UNDER LOCK AND KEY.**

### SYMPTOMS OF POISONING:

No specific general symptoms. May produce an allergic reaction. Alcohol-intolerance ("Antabuse-Effect") Propineb can interfere with the metabolism of alcohol in the body. When alcohol is consumed, it can lead to uncomfortable and potentially harmful symptoms, including nausea, vomiting, headache, and rapid heartbeat.

### FIRST AID:

**Inhalation:** Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

**Skin contact:** Wash off thoroughly with plenty of soap and water, subsequently rinse with water.

**Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

**Ingestion:** Rinse mouth thoroughly with water. **DO NOT** induce vomiting. Call a physician or poison control center immediately.

Call the Drugs and Toxicology Information Services (DaTIS) for more information on +263242307148 or +263786100098

### NOTE TO PHYSICIAN:

**Treatment:** Treat symptomatically. Gastric lavage should be considered in cases of significant ingestions within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Follow-up measures: Strict abstinence from alcohol for 1 to 2 weeks, due to antabuse effect.

### EMPTY CONTAINER DISPOSAL AND CLEANING OF APPLICATION EQUIPMENT:

1. Shake all the contents of the container into the spray or mixing tank.
2. Rinse empty container three times with a volume water equal to at least 30% of the volume of the container and add the rinsings to the contents of the spray tank before disposing of the container in the prescribed manner.
3. Destroy empty container by perforation and flattening and never use for any other purpose. If possible, offer for recycling.

Cleaning of equipment:

1. Clean the spray equipment regularly inside and outside.
2. Flush the spray equipment thoroughly following each use and apply the rinsate to a previously treated area.

### WARRANTY:

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions; quality of dilution water; compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

Bayer (Pty) Ltd. All unauthorized reproduction of this label is forbidden.



# Antracol<sup>®</sup>

70 WG

Reg. No. 25-B-14-174

CONTENTS: 500 g

## CAUTION

### HARMFUL IF SWALLOWED

COMPOSITION:	MASS/MASS
Propineb (dithiocarbamate) .....	700 g/kg
Inert ingredients .....	300 g/kg

Chemical Group : dithiocarbamate

**A FUNGICIDE FOR THE CONTROL OF THE  
DISEASES MENTIONED ON THE  
CROPS LISTED.**

Packed For:  
Bayer Zimbabwe (Pvt) Ltd  
P.O. Box AY 78, Amby, Harare, Zimbabwe.  
Tel. 487211/487242

Manufactured by: Bayer AG, Germany

**Antracol<sup>®</sup>** is a registered trademark of the Bayer Group

Batch No.: See on pack

Date of Manufacture: See on pack

ZIM/0625/Antracol 70 WG 500g

Code: ZW89956587A



CAUTION

