

BENOMYL 50WP

Fungicide

A systemic fungicide for the control of fusarium wilt in burley tobacco seedbeds and frogeye in burley tobacco lands.

Reg. No.: 10-B-16-18

Composition:


Mass/mass

Benomyl 50%
Inert ingredients. 50%

Chemical group: Benzimidazole

1kg NET

KEEP OUT OF REACH OF CHILDREN



HARMFUL IF SWALLOWED

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

Manufactured by:

NOVA AGRO (HK) LTD.
6TH FLOOR WYNDHAM PLACE
44 WYNDHAM STREET
CENTRAL HONG KONG

Registration held by:

MAGCHEM (PVT) LIMITED
2274 TILBURY ROAD,
WORKINGTON,
HARARE, ZIMBABWE

DIRECTIONS FOR USE

CROP	DISEASE	DILUTION RATE	APPLICATION
BURLEY TOBACCO SEEDBEDS	Fusarium wilt	200g/100L water	Drench 2 days before pulling at 2L mix/m ² . If soil is dry, water lightly before applying fungicide. Apply 144g/36m ² bed.
BURLEY TOBACCO LANDS	Frogeye	200g/ha + 20ml wetting agent	Start spraying at topping (Refer to Burley tobacco handbook)

APPLICATION NOTE: TOBACCO SEEDBED HIGH VOLUME AND ULV SPRAYING

- To achieve an application volume of between 20 – 60ml of diluted mixture per m² for HV sprays, it is advisable to use the following:
(i) Nozzle 110° flat fan either LF1 or LF 1.5 or 01.5
(ii) Pressure – approximately 2 bars or 200 kPa
(iii) Walking speed: 1m / sec

As **BENOMYL 50WP** is a powder, it is generally advised that one first prepares a slurry with the prescribed amount of product in a small amount of water. This slurry can then be mixed into the full volume of spray water. Agitate the spray mixture constantly whilst spraying.

- Use a 1.4mm aperture nozzle which gives a flow rate of 40-50ml/min and calibrate to achieve desired application rate.

SHELF LIFE: Under cool conditions a minimum of 3 years.

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE

SAFETY PRECAUTIONS

- Handle with care.
- Wear protective clothing, boots, rubber gloves and face shield when handling the product.
- KEEP OUT OF THE REACH OF CHILDREN.
- KEEP APART FROM FOOD AND FOOTSTUFFS.
- KEEP UNDER LOCK AND KEY.
- DO NOT inhale fumes or spray mist.
- Avoid contact with skin and eyes.
- Prevent spray drift onto other crops, grazing, rivers, dams or other areas not under treatment.
- DO NOT eat, drink or smoke whilst mixing or applying or before washing hands and face and changing clothes.
- Wear protective clothing, boots, rubber gloves and face shield when handling the product.
- Wash contaminated clothing daily.
- Toxic to fish and birds.
- Wash with soap and water after use and accidental skin contact.
- Clean all equipment thoroughly after use. Dispose of wash water where it will not contaminate crops, grazing, rivers, dams and boreholes.
- Triple rinse empty containers in the following manner: Rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the described manner.
- Destroy the empty container by perforating and flattening and dispose of it in a safe manner.
- Never re-use the empty container for any other purpose whatsoever.

NOTE:

Never allow **BENOMYL 50 WP** to become wet during storage.

SYMPTOMS OF POISONING:

No known symptoms

FIRST AID:

Remove patient from further contact with **BENOMYL 50WP** and call physician immediately.

Inhalation: Remove patient to fresh air immediately and keep patient quiet.

Eyes: Flush immediately with plenty of clean water for at least 15 minutes and get medical attention.


Skin: Remove contaminated clothing. Wash with plenty of water.

Swallowing: Induce vomiting by tickling the back of the throat but only if the patient is conscious.

WARRANTY:

The excellent results which this chemical should normally yield, are not however warranted or guaranteed, as effectiveness can be greatly influenced by factors outside the control of either the manufacturers or the suppliers. No warranty whatsoever, express or implied, is therefore given concerning the performance or effectiveness of this chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from its improper handling, use or storage.

This product is warranted to consist of the ingredients shown on the label.



Batch No.: 20230304 Date of Mfg.: 04 MAR. 2023 Date of Exp.: 04 MAR. 2026

Manufactured by:

NOVA AGRO (HK) LTD.
6TH FLOOR WYNDHAM PLACE
44 WYNDHAM STREET
CENTRAL HONG KONG

Registration held by:

MAGCHEM (PVT) LIMITED
2274 TILBURY ROAD,
WORKINGTON,
HARARE, ZIMBABWE

BENOMYL 50WP

Fungicide

A systemic fungicide for the control of fusarium wilt in burley tobacco seedbeds and frogeye in burley tobacco lands.

Reg. No.: 10-B-16-18

Composition:


Mass/mass

Benomyl 50%
Inert ingredients. 50%

Chemical group: Benzimidazole

10x1kg NET

KEEP OUT OF REACH OF CHILDREN



HARMFUL IF SWALLOWED

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

Manufactured by:

NOVA AGRO (HK) LTD.
6TH FLOOR WYNDHAM PLACE
44 WYNDHAM STREET
CENTRAL HONG KONG

Registration held by:

MAGCHEM (PVT) LIMITED
2274 TILBURY ROAD,
WORKINGTON,
HARARE, ZIMBABWE