

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT

SAFETY PRECAUTIONS

1. Handle with care.
2. Wear protective clothing, boots, rubber gloves and face shield when handling the product.
3. KEEP OUT OF THE REACH OF CHILDREN.
4. KEEP APART FROM FOOD AND FOODSTUFFS.
5. KEEP UNDER LOCK AND KEY.
6. DO NOT inhale fumes or spray mist.
7. Avoid contact with skin and eyes.
8. Prevent spray drift onto other crops, grazing, rivers, dams or other areas not under treatment.
9. DO NOT eat, drink or smoke whilst mixing or applying or before washing hands and face and changing clothes.
10. Wash contaminated clothing daily.
11. Toxic to fish and birds.
12. Wash with soap and water after use and accidental skin contact.
13. Clean all equipment thoroughly after use. Dispose of wash water where it will not contaminate crops, grazing, rivers, dams and boreholes.
14. Triple rinse empty containers in the following manner: Rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the described manner.
15. Destroy the empty container by perforating and flattening and dispose of it in a safe manner.
16. Never re-use the empty container for any other purpose whatsoever.

SYMPTOMS OF POISONING

Irritation of skin, eyes, face and mouth. Excessive inhalation may cause nasal and respiratory irritation. Ingestion may cause stomach irritation, nausea, cramps and vomiting.

FIRST AID

Inhalation: remove patient to fresh air. Skin contact: remove contaminated clothing and wash patient thoroughly with soap and water. Ingestion: wash out mouth with water. If patient is conscious, induce vomiting by tickling the back of the throat if medical treatment is not readily available and if time from ingestion is less than 1 hour. Eye contamination: wash eye gently with clean running water for 15 to 20 minutes.

IN ALL CASES, SEEK MEDICAL ATTENTION AS QUICKLY AS POSSIBLE AND SHOW THIS LABEL TO THE ATTENDING PHYSICIAN.

DIRECTIONS FOR USE

BULLET 60 EC is a combination pesticide with both contact and stomach action. It gives rapid knockdown and has a relatively long residual activity. It must be applied as a full cover spray.



1. Triple rinse clean container after use.
2. Puncture holes in bottom.
3. Return to Maguires recycling facility/or-Return to your nearest recycling facility.

Manufactured by:

NOVA AGRO (HK) LTD
6TH FLOOR, WYNDHAM PLACE,
44 WYNDHAM STREET,
CENTRALHONG KONG

BULLET 60 EC

Insecticide

Reg. No.: 19-D-166-78-D-136-98
TRB NO.: 16-18-D-26

Net Content: 500ml



HARMFUL IF SWALLOWED

Composition

Acetamidiprid.....	mass/volume	30g/L
Lambda-cyhalothrin.....		30g/L
Inert ingredients.....		940g/L

Chemical groups: Acetamidiprid: Neonicotinoid

Lambda-cyhalothrin: Synthetic pyrethroid

BULLET 60 EC is a combination insecticide with both contact and stomach action. It gives rapid knockdown and has a relatively long residual activity. It must be applied as a full cover spray.

KEEP OUT OF REACH OF CHILDREN

TO CAUSE A HAZARD IN THE USE, STORAGE AND DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

Supplied by Maguires-
A member of
CropLife
ZIMBABWE

Crop	Pests	Application rate per 100L of water	Remarks
Tomatoes	Aphids, whiteflies, leafminers, thrips	100ml	
Tobacco lands	Cutworm	30ml	Apply 30ml of mixture to each seedling so as to wet stem and soil surrounding the base of the seedling.
	Aphids	30ml	Apply 150L water/ha at 10-14 day intervals.

Pre-harvest intervals: tomatoes 12 days

Warranty

The excellent results which this product should normally yield are not however warranted or guaranteed as efficacy can be greatly influenced by factors outside the control of either the manufacturers or suppliers. No warranty whatsoever, express or implied, is therefore given concerning the performance or efficacy of this chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from its handling, use or storage. The product is warranted to consist of ingredients as shown on the label.

SAFETY PRECAUTIONS

Empty container disposal invert the empty container over the spray tank or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip.

Thereafter, rinse the container three times with a volume of water equal to a minimum of 10% of the container. Add the rinsings to the contents of the spray tank. Destroy the empty container by perforation and flattening. Return to supplier for recycling. DO NOT use for any other purpose. Dispose of the wash water at a site for the disposal of pesticides.

Decontamination of sprayer Clean applicator thoroughly after use and ensure that all traces of BULLET 60 EC are removed. Make use of the following method:

- (a) Drain and rinse tank, spray boom and hoses with clean water for at least 10 minutes
- (b) Fill tank with clean water and add it to 1 litre household bleach (5%) or 1.5 Litres of household bleach (3.5%) per 200 Litres of water. Rinse hoses and spray boom and leave in tank for 15 minutes whilst agitating. Drain through nozzle outlets.
- (c) Repeat step (b) and thereafter, rinse thoroughly with clean water and dispose of the wash water at a site designated for the disposal of pesticides.

Batch No.: 20210412 Date of Mfg.: 12 APR. 2021 Date of Exp.: 12 APR. 2024

Registration held by:

MAGCHEM (PVT) LIMITED,
2274 TILBURY ROAD,
WORKINGTON, HARARE,
ZIMBABWE

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT

SAFETY PRECAUTIONS

1. Handle with care.
2. Wear protective clothing, boots, rubber gloves and face shield when handling the product.
3. KEEP OUT OF THE REACH OF CHILDREN.
4. KEEP APART FROM FOOD AND FOODSTUFFS.
5. KEEP UNDER LOCK AND KEY.
6. DO NOT inhale fumes or spray mist.
7. Avoid contact with skin and eyes.
8. Prevent spray drift onto other crops, grazing, rivers, dams or other areas not under treatment.
9. DO NOT eat, drink or smoke whilst mixing or applying or before washing hands and face and changing clothes.
10. Wash contaminated clothing daily.
11. Toxic to fish and birds.
12. Wash with soap and water after use and accidental skin contact.
13. Clean all equipment thoroughly after use. Dispose of wash water where it will not contaminate crops, grazing, rivers, dams and boreholes.
14. Triple rinse empty containers in the following manner: Rinse the container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the contents of the spray tank before destroying the container in the described manner.
15. Destroy the empty container by perforating and flattening and dispose of it in a safe manner.
16. Never re-use the empty container for any other purpose whatsoever.

SYMPTOMS OF POISONING

Irritation of skin, eyes, face and mouth. Excessive inhalation may cause nasal and respiratory irritation. Ingestion may cause stomach irritation, nausea, cramps and vomiting.

FIRST AID

Inhalation: remove patient to fresh air. Skin contact: remove contaminated clothing and wash patient thoroughly with soap and water. Ingestion: wash out mouth with water. If patient is conscious, induce vomiting by tickling the back of the throat if medical treatment is not readily available and if time from ingestion is less than 1 hour. Eye contamination: wash eye gently with clean running water for 15 to 20 minutes.

IN ALL CASES, SEEK MEDICAL ATTENTION AS QUICKLY AS POSSIBLE AND SHOW THIS LABEL TO THE ATTENDING PHYSICIAN.

DIRECTIONS FOR USE

BULLET 60 EC is a combination pesticide with both contact and stomach action. It gives rapid knockdown and has a relatively long residual activity. It must be applied as a full cover spray.



1. Triple rinse clean container after use.
2. Puncture holes in bottom.
3. Return to Maguires recycling facility/or-Return to your nearest recycling facility.

Manufactured by:


NOVA AGRO (HK) LTD
6TH FLOOR, WYNDHAM PLACE,
44 WYNDHAM STREET,
CENTRALHONG KONG

BULLET 60 EC

Insecticide

Reg. No.: 19-D-166-78-D-136-98
TRB NO.: 16-18-D-26

Net Content: 20x500ml



HARMFUL IF SWALLOWED

Composition

Acetamidiprid.....	mass/volume	30g/L
Lambda-cyhalothrin.....		30g/L
Inert ingredients.....		940g/L

Chemical groups: Acetamidiprid: Neonicotinoid

Lambda-cyhalothrin: Synthetic pyrethroid

BULLET 60 EC is a combination insecticide with both contact and stomach action. It gives rapid knockdown and has a relatively long residual activity. It must be applied as a full cover spray.

KEEP OUT OF REACH OF CHILDREN

TO CAUSE A HAZARD IN THE USE, STORAGE AND DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

Supplied by Maguires-
A member of
CropLife
ZIMBABWE

Crop	Pests	Application rate per 100L of water	Remarks
Tomatoes	Aphids, whiteflies, leafminers, thrips	100ml	
Tobacco lands	Cutworm	30ml	Apply 30ml of mixture to each seedling so as to wet stem and soil surrounding the base of the seedling.
	Aphids	30ml	Apply 150L water/ha at 10-14 day intervals.

Pre-harvest intervals: tomatoes 12 days

Warranty

The excellent results which this product should normally yield are not however warranted or guaranteed as efficacy can be greatly influenced by factors outside the control of either the manufacturers or suppliers. No warranty whatsoever, express or implied, is therefore given concerning the performance or efficacy of this chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from its handling, use or storage. The product is warranted to consist of ingredients as shown on the label.

SAFETY PRECAUTIONS

Empty container disposal invert the empty container over the spray tank or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip.

Thereafter, rinse the container three times with a volume of water equal to a minimum of 10% of the container. Add the rinsings to the contents of the spray tank. Destroy the empty container by perforation and flattening. Return to supplier for recycling. DO NOT use for any other purpose. Dispose of the wash water at a site for the disposal of pesticides.

Decontamination of sprayer Clean applicator thoroughly after use and ensure that all traces of BULLET 60 EC are removed. Make use of the following method:

- (a) Drain and rinse tank, spray boom and hoses with clean water for at least 10 minutes
- (b) Fill tank with clean water and add it to 1 litre household bleach (5%) or 1.5 Litres of household bleach (3.5%) per 200 Litres of water. Rinse hoses and spray boom and leave in tank for 15 minutes whilst agitating. Drain through nozzle outlets.
- (c) Repeat step (b) and thereafter, rinse thoroughly with clean water and dispose of the wash water at a site designated for the disposal of pesticides.

Batch No.: 20210412 Date of Mfg.: 12 APR. 2021 Date of Exp.: 12 APR. 2024

Registration held by:

MAGCHEM (PVT) LIMITED,
2274 TILBURY ROAD,
WORKINGTON, HARARE,
ZIMBABWE