


CeCeCe™ 750

Reg.No: 72-G-1-5

Net Content
10 Litres



DANGEROUS POISON
HARMFUL BY SKIN ABSORPTION

Batch No.:
Date of Manufacture:
Expiry Date

Composition:	(mass/volume)
chlormequat chloride.....	750g / L
inert ingredients.....	250 g/litre

CECECE is a water soluble solution plant growth regulator to reduce lodging in cotton, wheat and Barley

Registered by:
Pivotal Agro-Services (Pvt) Ltd,
PO Box WGT 450 Westgate, Harare
Tel: (263-4) 309800

Manufactured by:
BASF SE 67056 Ludwigshafen, Germany

® Registered trademark of BASF

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE

WARNINGS

- Allow the 49 days between last application and harvest or grazing
- Handle with care, avoid contact with skin, eyes and inhalation. Do not inhale fumes or spray mist. Wash thoroughly with soap and water after accidental skin contact.
- Dangerous to wild animals, birds, fish and bees.
- Keep out of reach of children, uninformed persons and animals.
- Poisonous when absorbed through the skin or swallowed or inhaled.
- Apply only to cotton, wheat and Barley that is actively growing.
- Do not apply to cotton at rates and times other than those specified as yield decreases and delayed maturity may result.

PRECAUTIONS

1. Poisonous by ingestion, when absorbed through the skin or inhaled
2. Avoid spray drift other crops
3. On completion of spraying, wash thoroughly with soap and water.
4. Do not eat, drink or smoke whilst mixing and applying or before washing hands and face.
5. Do not contaminate, grazing, rivers, dams and other water sources.
6. Keep out of reach of children, uninformed persons and animals.
7. When handling the concentrated product wear gloves and goggles.
8. Prevent contamination of food, feed, drinking water and eating utensils.
9. Store in original container in a cool, dry place away from food and animal feed.
10. Corrosive – clean applicator after use.
11. Do not apply during rain or rainfall is likely.
12. Rinse empty container three times with a volume of water equal to at least one tenth of that of the container and add the rinsings to the content of the spray tank before disposing of the container in the prescribed manner.
13. Destroy empty container by perforation and flattening and never use for any other purpose.

Aerial application:

Notify and warn all inhabitants in the immediate area of the intended application and issue the necessary warnings.

WARRANTY

Although this remedy has been tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic- and storage conditions; quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

SYMPTOMS OF POISONING

Profound muscular weakness, headache, nausea, vomiting, tremors and convulsions.
Should accidental poisoning occur, call a doctor and show him the label and/or MSDS

Note to physician: (2-ethyl) trimethylammonium chloride is a weak ganglionic stimulant with an action similar to nicotine. There is no specific antidote. Atropine is CONTRAINDICATED

FIRST AID

IF IN EYES:	Flash affected eyes for at least 15 minutes under clean running water with eyelids held open. Consult an eye specialist.
IF SWALLOWED:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Call medical help immediately.
IF ON SKIN:	Wash skin thoroughly with soap and water. Call medical help if irritation occurs.
IF INHALED:	Keep patient calm, remove to fresh air, seek medical attention.

DIRECTIONS FOR USE:

USE ONLY AS DIRECTED

Compatibility: CeCeCe™ 750 is compatible with most growth regulators, insecticides, fungicides, foliar fertilizers and herbicides except contact-herbicides. CeCeCe™ 750 is not compatible with dinitro compounds such as DNOC, corrosive substances and / or contact herbicides.

Mixing instructions: When mixing CeCeCe™ 750 with other crop protection products, add these compounds **first** to the required amount of water in the spray tank. Thereafter CeCeCe™ 750 must be mixed with an equal volume of water before adding to the contents of the spray tank.

Application:

Apply CeCeCe™ 750 as a foliar spray as indicated below. Do not apply CeCeCe™ 750 during rain or when rain is imminent.

All spray applications must be made with suitable equipment that is in good working order and correctly calibrated to give the desired coverage for that particular method of application.

APPLICATION RATES

CROP	CONDITION	RATE	DIRECTIONS FOR APPLICATION
WHEAT BARLEY	Reduction of lodging and wind damage.	2.1 L/ha	Apply as a foliar spray at first stem elongation (Growth stage 31 Zadocks scale). Ground application: Apply in 300 – 400L water/ha. Aerial application: Apply in 30L water/ha.
COTTON	To reduce rank growth.	45-66 ml/ha	Apply when 5%-10% of the plants have at least one flower and the crop is 80cm tall. Apply either one application at 66ml/ha or two split applications at 45ml/ha ant the first flower and the second of 21ml/ha at two weeks later. Ground application: Apply in 100 – 200L water/ha. Aerial application: Apply in 30L water/ha. Hand held ULV: apply in 10 L water /ha. Apply over each row.

FOR FURTHER INFORMATION OR IN THE CASE OF EMERGENCE CALL 263-4) 309800