

**TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.**

**DIRECTIONS FOR USE:**

FENDONA 6 SC controls insects by contact and ingestion and is recommended for the control of mosquitoes, flies, cockroaches, fleas and other household pests. FENDONA 6 SC is of low toxicity to humans and other mammals and is safe to use in domestic and public areas. When applied as a surface spray FENDONA 6 SC offers long residual activity. To obtain best results all surfaces should be treated, especially cracks and infested areas. A higher volume of water may be required on absorbent surfaces. Evacuate premises to be sprayed. Ensure all food, as well as equipment and surfaces on which food is stored, prepared or eaten is NOT exposed to the spray.

**DOSAGE RATE:**

**INDOOR RESIDUAL SPRAYING:**

Mix 100 ml of FENDONA 6 SC with 10 litres water. The spray wash suspension is applied to just before point of run off, equivalent to a rate of 1 liter of the mixture per 20 square metres of surfaces. This rate of application will give excellent control of mosquitoes, flies and cockroaches for extended periods.

**MOSQUITO NETS:**

FENDONA 6SC can be used to treat mosquito nets for effective and long lasting control of mosquitoes, bedbugs, ticks and other biting insects.

**DOSAGE RATES:** Each litre of FENDONA 6SC contains 60 000 mg (60 g/litre) of active ingredient - alphacypermethrin. The recommended dose rate for mosquito nets is 30-40mg/m<sup>2</sup>. The surface area of a single net is about 9m<sup>2</sup>, therefore one would require (30x9)/60 000x2000 = 4.5 mls of FENDONA 6SC to achieve 30mg/m<sup>2</sup>. Since the surface area of nets varies, one should obtain the surface area of the net before treating.

**APPLICATION:** Pour water into a bucket or dish (amount of water will depend on the absorption rate of the net). Add the required amount of FENDONA 6SC. Submerge the net in the mixture and agitate for 2 minutes to ensure the product is evenly distributed. Take out and allow excess liquid to drain back. DO NOT WRING. Place on a flat, non-absorbent surface to dry.

**APPLICATION:**

FENDONA 6 SC can be applied with a knapsack sprayer or other conventional spray equipment used for residual applications. In the absence of any spraying equipment dilute 100 ml FENDONA 6 SC with 20 litres of water and splash the mixture onto the desired surface from a small container or with the aid of a broad brush. Premises may be re-occupied as soon as spraying has been completed and the spray is dry.

**WARRANTY:**

This product and the recommendations concerning its use should give excellent results, but the performance of pesticides can be greatly influenced by factors outside the manufacturer's control, the manufacturer and seller give no guarantee or warranty, expressed or implied concerning the use of this product and they assume no responsibility for damage, injury or loss of profit arising from the use thereof.

**SHELF LIFE:**

Two years from date of manufacture (see side of container) if stored in original, sealed container in a

**FOR FURTHER INFORMATION ON THIS PRODUCT OR IN THE EVENT OF AN EMERGENCY, PHONE 0712 204 946 / 7.**

# Fendona® 6SC

Registration No  
97-D-145-1

NET CONTENTS

1 Litre



**HARMFUL IF SWALLOWED**

Composition	mass/volume
alphacypermethrin .....	60 g/litre
solvents and emulsifiers .....	940 g/litre

**Chemical Group : synthetic pyrethroid**

**A residual insecticide for the control of mosquitoes, flies and cockroaches in domestic and public buildings and areas. Can be used for the treatment of mosquito nets to control mosquitoes and other biting insects.**

**Registered by:**  
Pivotal Agro-Services, P.O. Box WGT 450, Westgate.  
Telephone : 309 800

**Manufactured in the EU**  
® = Registered trademark of BASF Aktiengesellschaft, 67056 Ludwigshafen, Germany.

Printed by PRINTWORKS

**PRECAUTIONS:**

1. KEEP OUT OF REACH OF CHILDREN.
2. DO NOT TRANSPORT OR STORE THIS PRODUCT WITH ANY FOODSTUFFS.
3. Wear full protective CLOTHING; PVC gloves overalls and gumboots, hood and respirator.
4. Handle with care. Avoid splashing the product whilst pouring and so not contaminate skin, or eyes.
5. Do not eat, drink or smoke whilst applying this insecticide.
6. DANGEROUS TO FISH, so not contaminate waterways, dams, rivers, ponds and ditches with this chemical.

**SAFETY PRECAUTIONS TAKEN AFTER SPRAYING:**

1. Remove protective clothing on completion of spraying and take a shower or a bath, wash thoroughly with soap and water.
2. Wash all protective clothing thoroughly.
3. Store in original container and KEEP UNDER LOCK AND KEY.
4. When container is empty, rinse container three times with water and add the rinsings to the spray tank. Puncture and burn or bury in safe place. Do not use for any other purpose.
5. Clean applicator thoroughly after use.

**SYMPTOMS OF POISONING:**

In case of severe skin exposure, typical sensations of the contaminated skin (especially the face) may appear. These may be tingling, burning numbness.

**FIRST AID:**

The above symptoms of poisoning will wear off in a few hours. If other symptoms should occur, remove the patient to the nearest hospital and show the attending doctor this label.

- If swallowed:** Do not induce vomiting.
- If in eyes:** Flush eyes with large amounts of clean water. Get medical attention if irritation persists.
- If on skin:** Remove contaminated clothing and wash skin thoroughly with soap and water.
- If inhaled:** Remove person to fresh air. If symptoms persist, obtain medical attention.

**NOTE TO PHYSICIAN:**

This product is of low toxicity and acute poisoning is unlikely to occur. If swallowed, stomach lavage with warm water followed by induced vomiting. Thereafter, treat symptomatically.