

Folicur[®]

250 EW

Reg. No. 91-B-60-1

For further information - lift
this page for full details



LIFT HERE

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

**THIS PRODUCT WHEN STORED IN ITS UNOPENED ORIGINAL CONTAINER AWAY FROM DIRECT
SUNLIGHT AND IN A COOL, DRY PLACE WILL BE FIT FOR USE FOR AT LEAST 24 MONTHS.**

PRECAUTIONS:

1. **HANDLE WITH CARE;** avoid contact; poisonous by swallowing, inhalation and contact with the skin.
2. **WEAR SUITABLE PROTECTIVE CLOTHING** including rubber gloves, rubber boots and overalls.
3. Remove protective clothing on completion of spraying and wash hands and face thoroughly with soap and water.
4. **KEEP OUT OF REACH OF CHILDREN.**
5. **KEEP APART FROM FOOD AND FOODSTUFFS.**
6. Store in original container and **KEEP UNDER LOCK AND KEY.**
7. **DANGEROUS TO FISH.**
8. **RE-ENTRY:** Do not enter treated area until spray deposit has dried unless wearing protective clothing.
9. Avoid drift of spray on to other crops, grazing, rivers, dams and areas not under treatment.
10. Clean applicator after use, dispose of wash water where it will not contaminate crops, grazing, rivers and dams.
11. **CONTAINER DISPOSAL** – Triple-rinse container, emptying washings into spray tank and spray onto crop. Perforate and flatten rinsed container to make it unsuitable for further use or burn it and bury crushed container or ashes in a recommended disposal pit in a secure location away from water sources or arable land. **DO NOT** use empty container for any other purpose.

SYMPTOMS OF POISONING:

No specific symptoms of intoxication are to be expected.

FIRST AID:

General advice: Move out of dangerous area. Transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation: Move to fresh air. Keep the patient warm and at rest. Take patient to a physician or nearest hospital.

Skin contact: Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Transfer patient to hospital.

Ingestion: Rinse mouth. Do NOT induce vomiting. Transfer patient to hospital immediately.

NOTE TO PHYSICIAN:

Treatment

Treat symptomatically.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

There is no specific antidote.

Bayer

Zim/0518/Folicur 250 EW 5L/Back Booklet Code: 84914398B

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

THIS PRODUCT WHEN STORED IN ITS UNOPENED ORIGINAL CONTAINER AWAY FROM DIRECT SUNLIGHT AND IN A COOL, DRY PLACE WILL BE FIT FOR USE FOR AT LEAST 24 MONTHS.

WARNINGS:

Folicur 250 EW is a de-methylation inhibiting (DMI) fungicide and should be used in a resistance management programme with other suitable fungicides. DO NOT USE brackish, poor quality, hard or alkaline water to make up spray mixture as this can adversely affect efficacy of the product. When sprayed allow a minimum of 6 hours before rainfall.

Harvest Intervals: Allow 14 days between last application and harvest for beans and potatoes, 7 days for tomatoes, and 28 days for coffee and paprika. Do not harvest or graze barley and wheat within 77 days of application and allow 42 days between application and feeding of groundnut and bean hay. It is not necessary to add a wetter when applying **Folicur 250 EW** to tobacco, beans, potatoes, tomatoes, coffee, soybeans, barley, paprika and wheat.

PRECAUTIONS:

1. **HANDLE WITH CARE;** avoid contact; poisonous by swallowing, inhalation and contact with the skin.
2. **WEAR SUITABLE PROTECTIVE CLOTHING** including rubber gloves, rubber boots and overalls.
3. Remove protective clothing on completion of spraying and wash hands and face thoroughly with soap and water.
4. **KEEP OUT OF REACH OF CHILDREN.**
5. **KEEP APART FROM FOOD AND FOODSTUFFS.**
6. Store in original container and **KEEP UNDER LOCK AND KEY.**
7. **DANGEROUS TO FISH.**
8. RE-ENTRY: Do not enter treated area until spray deposit has dried unless wearing protective clothing.
9. Avoid drift of spray on to other crops, grazing, rivers, dams and areas not under treatment.
10. Clean applicator after use, dispose of wash water where it will not contaminate crops, grazing, rivers and dams.
11. **CONTAINER DISPOSAL** – Triple-rinse container, emptying washings into spray tank and spray onto crop. Perforate and flatten rinsed container to make it unsuitable for further use or burn it and bury crushed container or ashes in a recommended disposal pit in a secure location away from water sources or arable land. **DO NOT** use empty container for any other purpose.

SYMPTOMS OF POISONING:

No specific symptoms of intoxication are to be expected.

FIRST AID:

General advice: Move out of dangerous area. Transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation: Move to fresh air. Keep the patient warm and at rest. Take patient to a physician or nearest hospital.

Skin contact: Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Transfer patient to hospital.

Ingestion: Rinse mouth. Do NOT induce vomiting. Transfer patient to hospital immediately.

NOTE TO PHYSICIAN:**Treatment**

Treat symptomatically.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

There is no specific antidote.

WARRANTY:

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions; quality of dilution water; compatibility with other substances not indicated on the label and the occurrence of resistance of the disease against the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

DIRECTIONS FOR USE : Pour the required quantity of **Folicur 250 EW** into the water while agitating.

CROP	DISEASE	DOSAGE RATE	REMARKS
Tobacco Lands Countenanced by Tobacco Research Board Certificate No. 17-20-B-36	Alternaria leaf spot (<i>Alternaria alternata</i>)	1st spray: 500 ml / ha 2nd spray: 750 ml / ha	1st Spray: Apply the lower rate 8 weeks after planting 2nd Spray: Apply the higher rate 12 weeks after planting Spray methods: High volume - 800 ℓ water/ha Knapsack - up to 100 ℓ/ha ULV - >25 ℓ/ha NB. Folicur® 250 EW must be used in alternation with Rovral 250 SC (iprodione) at 10 and 14 weeks after planting according to TRB recommendations.
Groundnuts	Leaf spot (<i>Cercospora arachidicola</i>) Grey mould (<i>Botrytis cinerea</i>)	500 ml / ha	Apply as a preventive treatment or when first signs of the infection are noticed. Apply as a full cover spray in 300-500 ℓ water/ha. In the case of dryland application direct the spray onto the rows. Repeat application every 10-14 days. Apply 4-5 sprays per season. A suitable wetter must be added to the spray mixture to ensure thorough wetting of the foliage.
Beans	Rust (<i>Uromyces appendiculatus</i>)	500 ml / ha	Apply as a preventive treatment or as soon as the first symptoms of infection are noticed. Repeat every 10-12 days if necessary. Apply as a full cover spray in minimum 500 ℓ water per ha.

CROP	DISEASE	DOSAGE RATE	REMARKS
Potatoes	Early blight (<i>Alternaria solani</i>)	75 mℓ/100 ℓ or at least 375 mℓ/ha	Apply as a preventive programme at 7-10 day intervals or commence spraying at the first signs of infection. Apply as a full cover spray in minimum 500 ℓ water per ha.
Tomatoes	Early blight (<i>Alternaria solani</i>)	75 mℓ/100 ℓ or at least 375 mℓ/ha	Apply at the first signs of infection and repeat every 7-10 days. Apply as a full cover spray in minimum 500 ℓ water per ha and relatively more on larger plants.
Coffee	Rust (<i>Hemileia vastatrix</i>)	1,0 ℓ/ha for trees 2-3 m in height. Use lower rates for smaller trees.	Curative and preventive spray. Apply as a full cover spray at the first signs of infection and repeat, if necessary, after 3-4 weeks as soon as any re-development of rust is seen. It is important to start spraying early. Apply in a high volume of water (1 000-2 000 ℓ/ha) to ensure good plant coverage and penetration.
Soybeans	Rust	500 mℓ/ha high disease severity low disease severity	Preventive spray using 300-500 ℓ water/ha. 3 sprays will give optimal yield, applied at 50, 70 and 90 days after planting. Only two sprays necessary, applied earlier rather than later, at 50 and 70 days after planting.
Barley	Net blotch (<i>Pyrenophora teres</i>)	1,0 ℓ/ha	Apply two sprays per season. Apply the first treatment when the plants have developed to second node followed by a second spray at early ear emergence. Apply as a full cover spray in 300 ℓ water/ha.
Paprika	Powdery mildew (<i>Leveillula taurica</i>)	750 mℓ / ha	Apply as a full cover spray (minimum 200 ℓ water/ha) at first signs of infection and repeat after 3 weeks. It is important to start spraying in early stages of the disease.

CROP	DISEASE	DOSAGE RATE	REMARKS
Onions	Purple blotch (<i>Alternaria porri</i>)	150 ml / 100 ℓ water	Apply at the first signs of the disease and repeat at 7-14 day intervals depending on infection. To ensure thorough coverage of the leaves and to avoid excessive run-off a suitable wetter/sticker should be added. Apply 500 ℓ spray mixture/ha. Do not apply more than 6 times per season. Do not use on spring onions.
Mangoes	Powdery mildew (<i>Oidium mangiferae</i>)	20 ml / 100 ℓ water	Commence application at the first signs of infection and repeat at intervals of 10 - 14 days up to 100% petal drop. Usually the first application takes place when 50 % of the flowers are open. This is then followed by a further 2 - 3 sprays depending on weather conditions and uniformity of the flowering period. Apply as a cover spray and ensure thorough coverage of the flower panicles.
Peas	Powdery mildew (<i>Erysiphe pisi</i>)	GROUND APPLICATION 50 ml / 100 ℓ water AERIAL APPLICATION 300 ml / ha in 40 ℓ water / ha	Apply at the first signs of the disease and repeat at 10 - 14 day intervals depending on infection. To ensure thorough coverage of the leaves and to avoid excessive run-off add Citowett at a rate of 25 ml / 100 ℓ spray mixture / ha. Apply 500 ℓ spray mixture/ha in the case of ground application. Do not apply more than 3 times per season. WARNING: DO NOT HARVEST WITHIN 14 DAYS OF LAST APPLICATION.
Wheat	Leaf rust (<i>Puccinia</i> spp.) Powdery mildew (<i>Erysiphe graminis</i>)	750 ml / ha	Apply as a full cover spray (minimum 200 ℓ water/ha) at first signs of infection and repeat after 3 weeks depending on disease development. It is important to start spraying in early stages of the disease.

COMPATIBILITY: Folicur 250 EW is compatible with Antracol 70 WP, Milraz 76 WP and Copper oxychloride.

Antracol® and Milraz® are registered trademarks of the Bayer Group.

Bayer

Folicur[®]

250 EW

Reg. No. 91-B-60-1

For further information - lift
this page for full details

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

**THIS PRODUCT WHEN STORED IN ITS UNOPENED ORIGINAL CONTAINER AWAY FROM DIRECT
SUNLIGHT AND IN A COOL, DRY PLACE WILL BE FIT FOR USE FOR AT LEAST 24 MONTHS.**

PRECAUTIONS:

1. **HANDLE WITH CARE;** avoid contact; poisonous by swallowing, inhalation and contact with the skin.
2. **WEAR SUITABLE PROTECTIVE CLOTHING** including rubber gloves, rubber boots and overalls.
3. Remove protective clothing on completion of spraying and wash hands and face thoroughly with soap and water.
4. **KEEP OUT OF REACH OF CHILDREN.**
5. **KEEP APART FROM FOOD AND FOODSTUFFS.**
6. Store in original container and **KEEP UNDER LOCK AND KEY.**
7. **DANGEROUS TO FISH.**
8. **RE-ENTRY:** Do not enter treated area until spray deposit has dried unless wearing protective clothing.
9. Avoid drift of spray on to other crops, grazing, rivers, dams and areas not under treatment.
10. Clean applicator after use, dispose of wash water where it will not contaminate crops, grazing, rivers and dams.
11. **CONTAINER DISPOSAL** – Triple-rinse container, emptying washings into spray tank and spray onto crop. Perforate and flatten rinsed container to make it unsuitable for further use or burn it and bury crushed container or ashes in a recommended disposal pit in a secure location away from water sources or arable land. **DO NOT** use empty container for any other purpose.

SYMPTOMS OF POISONING:

No specific symptoms of intoxication are to be expected.

FIRST AID:

General advice: Move out of dangerous area. Transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation: Move to fresh air. Keep the patient warm and at rest. Take patient to a physician or nearest hospital.

Skin contact: Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Transfer patient to hospital.

Ingestion: Rinse mouth. Do NOT induce vomiting. Transfer patient to hospital immediately.

NOTE TO PHYSICIAN:

Treatment

Treat symptomatically.

In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.

There is no specific antidote.

Bayer

Zim/0518/Folicur 250 EW 5L/Back Booklet Code: 84914398B

