

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**Product name : **FUSILADE FORTE 150 EC**

Design code : A12715A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use : Herbicide

1.3 Details of the supplier of the safety data sheetCompany : Syngenta Crop Protection AG
Postfach
CH-4002 Basel
Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address : safetydatasheetcoordination@syngenta.com**1.4 Emergency telephone number****Emergency tele-
phone number** : +44 1484 538444**SECTION 2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Classification according to Regulation (EU) 1272/2008

Reproductive toxicity	Category 2	H361d
Skin irritation	Category 2	H315
Skin sensitization	Category 1	H317
Acute aquatic toxicity	Category 1	H400
Chronic aquatic toxicity	Category 1	H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xn, Harmful

N, Dangerous for the environment

R38: Irritating to skin.

R43: May cause sensitization by skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R63: Possible risk of harm to the unborn child.

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

2.2 Label elements

Labelling: Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word	:	Warning	
Hazard statements	:	H361d H315 H317 H410	Suspected of damaging the unborn child. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	P102 P270 P280 P302 + P352 P391 P501	Keep out of reach of children. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing. IF ON SKIN: Wash with plenty of soap and water. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.
Supplemental information	:	EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Hazardous components which must be listed on the label:

- fluazifop-P-butyl

Labelling: EU Directives 67/548/EEC or 1999/45/EC

Symbol(s)



Harmful



Dangerous
for the envi-
ronment

R-phrases(s)	:	R38 R43 R50/53 R63	Irritating to skin. May cause sensitization by skin contact. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Possible risk of harm to the unborn child.
--------------	---	---------------------------------	---

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

S-phrases(s)	:	S 2	Keep out of the reach of children.
		S13	Keep away from food, drink and animal feedingstuffs.
		S20/21	When using do not eat, drink or smoke.
		S35	This material and its container must be disposed of in a safe way.
		S36/37	Wear suitable protective clothing and gloves.
		S57	Use appropriate container to avoid environmental contamination.

Special labelling of certain mixtures : To avoid risks to man and the environment, comply with the instructions for use.

Hazardous components which must be listed on the label:

- fluazifop-P-butyl

2.3 Other hazards

This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration
fluazifop-P-butyl	79241-46-6	Xn, N R63 R50/53	Repr.2; H361d Aquatic Acute1; H400 Aquatic Chronic1; H410	15.8 % W/W
alcohols, C16-18 and C18-unsatd., ethoxylated	68920-66-1	Xi R38	Skin Irrit.2; H315	20 - 30 % W/W
octan-1-ol	111-87-5 203-917-6	Xi R36	Eye Irrit.2; H319	1 - 5 % W/W
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Xi R38 R41	Skin Irrit.2; H315 Eye Dam.1; H318	1 - 5 % W/W

Substances for which there are Community workplace exposure limits.

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

SECTION 4. FIRST AID MEASURES**4.1 Description of first aid measures**

- General advice : Have the product container, label or Material Safety Data Sheet with you when calling the Syngenta emergency number, a poison control center or physician, or going for treatment.
- Inhalation : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- Skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- Ingestion : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Medical advice : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES**5.1 Extinguishing media**

Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Do not use a solid water stream as it may scatter and spread fire.

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

5.2 Special hazards arising from the substance or mixture

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).

Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus.

Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

If the product contaminates rivers and lakes or drains inform respective authorities.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.

Refer to disposal considerations listed in section 13.

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

No special protective measures against fire required.
 Avoid contact with skin and eyes.
 When using do not eat, drink or smoke.
 For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

No special storage conditions required.
 Keep containers tightly closed in a dry, cool and well-ventilated place.
 Keep out of the reach of children.
 Keep away from food, drink and animal feedingstuffs.

: Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

7.3 Specific end uses

Registered Crop Protection products: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	Exposure limit(s)	Type of exposure limit	Source
fluazifop-P-butyl	0.5 mg/m ³	8 h TWA	SYNGENTA

The following recommendations for exposure controls/personal protection are intended for the manufacture, formulation and packaging of the product.

8.2 Exposure controls

Engineering measures : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
 The extent of these protection measures depends on the actual risks in use.
 If airborne mists or vapors are generated, use local exhaust ventilation controls.
 Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit.
 Where necessary, seek additional occupational hygiene advice.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
 When selecting personal protective equipment, seek appropriate professional advice.
 Personal protective equipment should be certified to appropriate stan-

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

- dards.
- Respiratory protection : A combination gas, vapor and particulate respirator may be necessary until effective technical measures are installed.
Protection provided by air-purifying respirators is limited.
Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : Chemical resistant gloves should be used.
Gloves should be certified to an appropriate standard.
Gloves should have a minimum breakthrough time that is appropriate to the duration of exposure.
The breakthrough time of gloves varies according to the thickness, material and manufacturer.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Suitable material
Nitrile rubber
- Eye protection : Eye protection is not usually required.
Follow any site specific eye protection policies.
- Skin and body protection : Assess the exposure and select chemical resistant clothing based on the potential for contact and the permeation / penetration characteristics of the clothing material.
Wash with soap and water after removing protective clothing.
Decontaminate clothing before re-use, or use disposable equipment (suits, aprons, sleeves, boots, etc.)
Wear as appropriate:
impervious protective suit

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Physical state : liquidliquid
- Form : clear to slightly turbid liquid
- Colour : brown
- Odour : no data available
- Odour Threshold : no data available
- pH : 6.9 at 1 % w/v (25 °C)
- Melting point/range : no data available
- Boiling point/boiling range : no data available
- Flash point : 84 °C Setaflash closed cup
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
- Lower explosion limit : no data available
- Upper explosion limit : no data available
- Vapour pressure : no data available
- Relative vapour density : no data available
- Density : 0.948 g/cm³
- Solubility in other solvents : Miscible

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

Partition coefficient: n-octanol/water	in Water : no data available
Autoignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: Not explosive
Oxidizing properties	: not oxidizing

9.2 Other information

: no data available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No information available.

10.2 Chemical stability

No information available.

10.3 Possibility of hazardous reactions

None known.
Hazardous polymerisation does not occur.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapors

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	: Median lethal dose male and female rat, > 2,000 mg/kg
Acute dermal toxicity	: Median lethal dose male and female rat, > 2,000 mg/kg
Skin corrosion/irritation	: rabbit: Moderately irritating
Serious eye damage/eye irritation	: rabbit: Slightly irritating
Respiratory or skin sensitization	: guinea pig: A mild skin sensitizer in animal tests
Germ cell mutagenicity	

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

fluazifop-P-butyl : Did not show mutagenic effects in animal experiments.

Carcinogenicity

fluazifop-P-butyl : Did not show carcinogenic effects in animal experiments.

Teratogenicity

fluazifop-P-butyl : Did not show teratogenic effects in animal experiments.

Reproductive toxicity

fluazifop-P-butyl : Did not show reproductive toxicity effects in animal experiments.

STOT - repeated exposure

fluazifop-P-butyl : No adverse effect has been observed in chronic toxicity tests.

SECTION 12. ECOLOGICAL INFORMATION**12.1 Toxicity**Toxicity to fish : LC50 *Oncorhynchus mykiss* (rainbow trout), 20 mg/l , 96 h
Based on test results obtained with similar product.Toxicity to aquatic invertebrates : EC50 *Daphnia magna* (Water flea), 20 mg/l , 48 h
Based on test results obtained with similar product.Toxicity to aquatic plants : EbC50 *Pseudokirchneriella subcapitata* (green algae), 0.23 mg/l , 72 h
: ErC50 *Pseudokirchneriella subcapitata* (green algae), 0.84 mg/l , 72 h
Based on test results obtained with similar product.**12.2 Persistence and degradability****Stability in water**fluazifop-P-butyl : Degradation half life: 1.5 - 1.7 h
Not persistent in water**Stability in soil**fluazifop-P-butyl : Degradation half life : < 2 d
Not persistent in soil.**12.3 Bioaccumulative potential**

fluazifop-P-butyl : Does not bioaccumulate.

12.4 Mobility in soil

fluazifop-P-butyl : Fluazifop-p-butyl is immobile in soil.

12.5 Results of PBT and vPvB assessment

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

: This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

- Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**Land transport (ADR/RID)**

- 14.1 UN number:** UN 3082
14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUAZIFOP-P-BUTYL)
14.3 Transport hazard class(es): 9
14.4 Packing group: III
Labels: 9
14.5 Environmental hazards : Environmentally hazardous

Sea transport(IMDG)

- 14.1 UN number:** UN 3082
14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUAZIFOP-P-BUTYL)
14.3 Transport hazard class(es): 9
14.4 Packing group: III
Labels: 9
14.5 Environmental hazards : Marine pollutant

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

Air transport (IATA-DGR)

14.1 UN number:	UN 3082
14.2 UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUAZIFOP-P-BUTYL)
14.3 Transport hazard class(es):	9
14.4 Packing group:	III
Labels:	9

14.6 Special precautions for user

none

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS-Labeling

Hazard pictograms



Signal word	:	Warning	
Hazard statements	:	H361d H315 H317 H410	Suspected of damaging the unborn child. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	P102 P270 P280 P302 + P352 P391 P501	Keep out of reach of children. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing. IF ON SKIN: Wash with plenty of soap and water. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.
Supplemental information	:	EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

FUSILADE FORTE 150 EC

Version 5 - This version replaces all previous versions.

Revision Date 30.12.2010

Print Date 30.12.2010

Remarks : Classified using all GHS hazard classes and categories.
Where the GHS contains options, the most conservative option has been chosen.
Regional or national implementations of GHS may not implement all hazard classes and categories.

Hazardous components which must be listed on the label:

- fluazifop-P-butyl

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16. OTHER INFORMATION**Further information**

Full text of R-phrases referred to under sections 2 and 3:

R36	Irritating to eyes.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R63	Possible risk of harm to the unborn child.

Full text of H-Statements referred to under sections 2 and 3.

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Product names are a trademark or registered trademark of a Syngenta Group Company.