

PRODUCT : GLYPHOSATE SG

EFFECTIVE DATE : August 2017

REVISION No. : 2

PAGES : 7

1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY

Product name GLYPHOSATE SG
Common name Glyphosate ammonium salt
Chemical name Ammonium salt of N-(phosphonomethyl)glycine

Supplier NOVA AGRO (HK) LIMITED
(Reg. No. 1023146)
6th Floor Wyndham Place
44 Wyndham Street
CENTRAL HONG KONG.

Emergency Tel/Fax +27(0) 32 946 3472 or +27(0) 83 676 1998

2. COMPOSITION/INFORMATION ON INGREDIENTS

Active ingredient	Glyphosate Ammonium	76.2%
-------------------	---------------------	-------

3. HAZARDS IDENTIFICATION**Potential health effects****Likely routes of exposure**

Skin contact

Eye contact, short term

Irreversible eye effects observed in laboratory animals.

Not expected to produce significant adverse eye effects as contact with the granule is unlikely when recommended use instructions are followed.

Skin contact, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

Inhalation, short term

Not expected to produce significant adverse effects when recommended use instructions are followed.

Medical conditions aggravated by exposure

Hypersensitivity to sulphiting agents.

Note

A very small percentage of particularly sensitive people may suffer skin or respiratory reactions.

Potential environmental effects

Not expected to produce significant adverse effects when recommended use instructions are followed. Refer to section 11 for toxicological and section 12 for environmental information.

PRODUCT : GLYPHOSATE SG

EFFECTIVE DATE : August 2017

REVISION No. : 2

PAGES : 7

4. FIRST AID MEASURES**Eye contact**

Immediately flush with plenty of water.

Continue for at least 15 minutes.

If easy to do, remove contact lenses.

If there are persistent symptoms, obtain medical advice.

Skin contact

Take off contaminated clothing, wristwatch, jewellery.

Wash affected skin with plenty of water.

Wash clothes before re-use.

Inhalation

Remove to fresh air.

Ingestion

Rinse mouth thoroughly with water.

Remove particles from mouth.

Immediately offer water to drink.

Do NOT induce vomiting unless directed by medical personnel.

If symptoms occur, get medical attention.

Advice to doctors

This product is not an inhibitor of cholinesterase.

Antidote

Treatment with atropine and oximes is not indicated.

5. FIRE FIGHTING MEASURES**Flash point**

Not applicable.

Extinguishing media

Recommended: Water, foam, dry chemical, carbon dioxide (CO₂)

Unusual fire and explosion hazards

Minimise use of water to prevent environmental contamination.

Environmental precautions: see section 6.

Hazardous products of combustion

Carbon monoxide (CO), phosphorus oxides (P_xO_y), nitrogen oxides (NO_x), ammonia (NH₃)

Fire fighting equipment

Self-contained breathing apparatus.

Equipment should be thoroughly decontaminated after use.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Use personal protection recommended in section 8.

PRODUCT : GLYPHOSATE SG

EFFECTIVE DATE : August 2017

REVISION No. : 2

PAGES : 7

Environmental precautions

SMALL QUANTITIES:

Low environmental hazard.

LARGE QUANTITIES:

Minimise spread.

Keep out of drains, sewers, ditches and water ways.

Methods for cleaning up

Dig up heavily contaminated soil.

Collect in containers for disposal.

Refer to section 7 for types of containers.

Flush spill area with water.

Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed.

Handling

Avoid contact with eyes.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling or contact.

Thoroughly clean equipment after use.

Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.

Emptied packages retain product residue and dust.

Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.

Storage

Compatible materials for storage: stainless steel, aluminium, fibreglass, plastic, glass lining.

Incompatible materials for storage: galvanised steel, unlined mild steel, see section 10.

Keep out of reach of children.

Keep away from food, drink and animal feed.

Keep only in the original container.

Keep container off wet floors.

Keep container dry.

Keep container closed.

Minimum shelf life: 3 years.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Airborne exposure limits****Components Exposure Guidelines**

Ammonium salt of glyphosate No specific occupational exposure limit has been established.

Surfactant(s) No specific occupational exposure limit has been established.

Sodium sulphite No specific occupational exposure limit has been established.

PRODUCT : GLYPHOSATE SG

EFFECTIVE DATE : August 2017

REVISION No. : 2

PAGES : 7

Engineering controls

Have eye wash facilities immediately available at locations where eye contact can occur.

Eye protection

If there is significant potential for contact:

Wear dust goggles.

Skin protection

If repeated or prolonged contact:

Wear chemical resistant gloves.

Respiratory protection

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range: Light yellow

Form: Granules (free-flowing) (dust free) (hygroscopic)

Odour: Mild

Flash point: Not applicable., Not classified as a flammable solid.

Particle size: 700µm; (granule diameter)

Density: 0.70 g/cm³; (tap density)

Solubility: Water: Soluble

Partition coefficient (log Pow): < 0.000 (active ingredient)

10. STABILITY AND REACTIVITY**Stability**

Stable under normal conditions of handling and storage.

Hazardous decomposition

Thermal decomposition: Hazardous products of combustion: see section 5.

Materials to avoid/Reactivity

Reacts with galvanized steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

11. TOXICOLOGICAL INFORMATION

This section is intended for use by toxicologists and other health professionals.

Data obtained on product, similar products and on components are summarized below.

Acute oral toxicity

Rat, LD₅₀: 2,814 mg/kg body weight

PRODUCT : GLYPHOSATE SG
EFFECTIVE DATE : August 2017
REVISION No. : 2
PAGES : 7

Target organs/systems: forestomach, gastro-intestinal tract, kidneys, liver, lung, spleen

Other effects: breathing difficulty, decreased activity, soft stools

Acute dermal toxicity

Rabbit, LD₅₀: >5,000 mg/kg body weight

Target organs/systems: skin

Other effects: soft stools, decrease of food consumption

Skin irritation

Rabbit, 6 animals, OECD 404 test:

Redness, mean EU score: 0.11

Swelling, mean EU score: 0.00

Days to heal: 3

Eye irritation

Rabbit, 6 animals, OECD 405 test:

Conjunctival redness, mean EU score: 2.00

Conjunctival swelling, mean EU score: 2.50

Corneal opacity, mean EU score: 1.00

Iris lesions, mean EU score: 0.00

Days to heal: >21

Other effects: tearing of iris, pannus

Skin sensitization

Guinea pig, Buehler test:

Positive incidence: 0%

Analogous liquid formulation

EXPERIENCE WITH HUMAN EXPOSURE

Ingestion, excessive, intentional misuse:

Respiratory effects: pneumonitis (aspiration)

Gastro-intestinal effects: nausea/vomiting, diarrhea, abdominal pain, bloody vomiting (haematemesis)

Cardiovascular effects: abnormal heart rhythm (cardiac dysrhythmia), decreased heart output (myocardial depression)

General/systemic effects: disturbances of fluid and electrolyte regulation, abnormally decreased blood volume (hypovolaemia), elevated serum amylase, fluid loss (haemoconcentration), no cholinesterase inhibition.

Laboratory effects - blood chemistry: elevated serum transaminases, mild acidosis

Eye contact, short term, epidemiological:

Note: No cases of irreversible eye effects could be attributed to glyphosate formulations in an extensive epidemiological survey of reported accidental eye contact with these formulations.

N-(phosphonomethyl)glycine; {glyphosate}

Mutagenicity

In vitro and in vivo mutagenicity test(s):

Not mutagenic.

Repeated dose toxicity

Rabbit, dermal, 21 days:

PRODUCT : GLYPHOSATE SG

EFFECTIVE DATE : August 2017

REVISION No. : 2

PAGES : 7

NOAEL toxicity: >5,000 mg/kg body weight/day

Target organs/systems: none

Other effects: none

Rat, oral, 3 months:

NOAEL toxicity: >20,000 mg/kg diet

Target organs/systems: none

Other effects: none

Carcinogenicity

Mouse, oral, 24 months:

NOEL tumour: >30,000 mg/kg diet

NOAEL toxicity: ~ 5,000 mg/kg diet

Tumours: none

Target organs/systems: liver

Other effects: decrease of body weight gain, histopathologic effects

Rat, oral, 24 months:

NOEL tumour: >20,000 mg/kg diet

NOAEL toxicity: ~ 8,000 mg/kg diet

Tumours: none

Target organs/systems: eyes

Other effects: decrease of body weight gain, histopathologic effects

Toxicity to reproduction/fertility

Rat, oral, 3 generations:

NOAEL toxicity: > 30 mg/kg body weight

NOAEL reproduction: > 30 mg/kg body weight

Target organs/systems in parents: none

Other effects in parents: none

Target organs/systems in pups: none

Other effects in pups: none

Developmental toxicity/teratogenicity

Rat, oral, 6 - 19 days of gestation:

NOAEL toxicity: 1,000 mg/kg body weight

NOAEL development: 1,000 mg/kg body weight

Other effects in mother animal: decrease of body weight gain, decrease of survival

Developmental effects: weight loss, post-implantation loss, delayed ossification

Effects on offspring only observed with maternal toxicity.

Rabbit, oral, 6 - 27 days of gestation:

NOAEL toxicity: 175mg/kg body weight

NOAEL development: 175mg/kg body weight

Target organs/systems in mother animal: none

Other effects in mother animal: decrease of survival

Developmental effects: none

PRODUCT : GLYPHOSATE SG

EFFECTIVE DATE : August 2017

REVISION No. : 2

PAGES : 7

12. ECOLOGICAL INFORMATION

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on product and components are summarized below.

Aquatic toxicity, fish**Rainbow trout (*Oncorhynchus mykiss*):**

Acute toxicity, 96 hours, static, LC₅₀: 20mg/L

Aquatic toxicity, invertebrates**Water flea (*Daphnia magna*):**

Acute toxicity, 48 hours, static, EC₅₀: 42mg/L

Aquatic toxicity, algae/aquatic plants**Green algae (*Selenastrum capricornutum*) :**

Acute toxicity, 72 hours, EbC₅₀ (biomass): 1.7mg/L

Avian toxicity**Bobwhite quail (*Colinus virginianus*):**

Acute oral toxicity, LD₅₀: 1,651 mg/kg body weight

Arthropod toxicity**Honey bee (*Apis mellifera*):**

Oral/contact, 48 hours, LD₅₀: > 100µg/bee

Soil organism toxicity, invertebrates**Earthworm (*Eisenia foetida*):**

Acute toxicity, 14 days, LC₅₀: > 1,250 mg/kg dry soil

Soil organism toxicity, microorganisms**Nitrogen and carbon transformation test:**

12.7kg/ha, 28 days: Less than 25% effect on nitrogen or carbon transformation processes in soil.

N-(phosphonomethyl) glycine; {glyphosate}**Avian toxicity****Bobwhite quail (*Colinus virginianus*):**

Dietary toxicity, 5 days, LC₅₀: > 4,640 mg/kg diet

Mallard duck (*Anas platyrhynchos*):

Dietary toxicity, 5 days, LC₅₀: > 4,640 mg/kg diet

Bobwhite quail (*Colinus virginianus*):

Acute oral toxicity, LD₅₀: > 3,851 mg/kg body weight

Bioaccumulation**Bluegill sunfish (*Lepomis macrochirus*):**

Whole fish: BCF: < 1

No significant bioaccumulation is expected.

Dissipation soil, field:

Half life: 2 - 174 days

Koc: 884 - 60,000 L/kg

Adsorbs strongly to soil.

Water, aerobic:

Half life: < 7 days

PRODUCT : GLYPHOSATE SG
EFFECTIVE DATE : August 2017
REVISION No. : 2
PAGES : 7

Surfactant Biodegradation**Zahn-Wellens test:**

Degradation: 80% within 28 days

Inherently biodegradable.

13. DISPOSAL CONSIDERATIONS**Product**

Dispose of as hazardous industrial waste.

Burn in proper incinerator.

Recycle if appropriate facilities/equipment available.

Keep out of drains, sewers, ditches and water ways.

Follow all local/regional/national/international regulations.

Container

Empty packaging completely.

Ensure packaging cannot be reused.

Recycle if appropriate facilities/equipment available.

Burn in proper incinerator.

Dispose of as non hazardous industrial waste.

Follow all local/regional/national/international regulations.

14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation. Not regulated for transport.

15. REGULATORY INFORMATION**EU label (manufacturer self-classification)**

Xi - Irritant

R41 - Risk of serious damage to eyes.

S2 - Keep out of reach of children.

S13 - Keep away from food, drink and animal feedstuffs.

S39 - Wear eye/face protection.

16. OTHER INFORMATION

This Safety Data Sheet has been prepared following the EU Directive 93/112.

The information given here is not necessarily exhaustive but is representative of relevant, reliable data. Follow all local/regional/national/international regulations.



MATERIAL SAFETY DATA SHEET

PRODUCT : GLYPHOSATE SG
EFFECTIVE DATE : August 2017
REVISION No. : 2
PAGES : 7

Please consult supplier if further information is needed.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, NOVA AGRO (HK) LTD. make no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will NOVA AGRO (HK) LTD. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.

REFERENCES

- Applicable own physical and chemical, toxicity and ecotoxicity research studies.
 - *The Pesticide Manual*; 13th Edition; Editor Clive Tomlin; Crop Protection Publications, 2003.
 - *Pestline*; Material Safety Data Sheets for Pesticides and Related Chemicals; Volume II; Occupational Health Services Inc., 1991.
 - *MICROMEDEX, INC.*, Volume 34.
-