



**INFINITO**  
687,5 SC

Reg. No. 12-B-47-4-B-91-1

CONTENTS:  
500 ml

**CAUTION**

**HARMFUL IF SWALLOWED**

COMPOSITION:	mass/volume
Fluopicolide.....	62.5 g/l
Propamocarb-HCl.....	62.5 g/l
Inert ingredients.....	312.5 g/l

Chemical Group: Fluopicolide - Pyridinylmethyl-benzamide  
Propamocarb-HCl - Carbamate

**A FUNGICIDE WITH CONTACT AND SYSTEMIC ACTION,  
FORMULATED AS A SUSPENSION CONCENTRATE, FOR THE  
CONTROL OF LATE BLIGHT IN POTATOES &  
TOMATOES AND DOWNY  
MILDEW IN ROSES**

Packed For: Bayer Zimbabwe (Pvt) Ltd  
P.O. Box AY 78, Amby, Harare, Zimbabwe.  
Tel. 487211/487242

IN CASE OF POISONING PLEASE PHONE: +27(0) 861 555 777

Manufactured by: Bayer AG

**Infitino**® is a registered trademark of the Bayer Group.



**Bayer**

Batch No.: See on pack  
Date of Manufacture: See on pack

Zim/0124/Infinito 687.5 SC 500 ml/  
Label and Booklet - Code: ZW90432359A



CAUTION



## TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

### PRECAUTIONS:

1. Handle with care; avoid any contact, poisonous by swallowing or inhalation.
2. Do not eat, drink or smoke while mixing, applying, handling or before washing hands and face.
3. WEAR PROTECTIVE CLOTHING, i.e. overalls, rubber gloves, and rubber boots and a facemask while mixing, spraying and cleaning up.
4. Do not inhale fumes or spray mist.
5. Remove protective clothing on completion of spraying, wash thoroughly with soap and water, and wash contaminated clothing daily.
6. Clean applicator after use, dispose of wash water where it will not contaminate crops, grazing, rivers and dams.
7. KEEP APART FROM FOOD AND FEEDSTUFFS.
8. KEEP OUT OF REACH OF CHILDREN, UNINFORMED PERSONS AND ANIMALS.
9. STORE IN A COOL, DRY PLACE IN ORIGINAL CONTAINER AND KEEP UNDER LOCK AND KEY.
10. TOXIC TO FISH AND WILD LIFE. DO NOT CONTAMINATE DRINKING POOLS, DAMS, RIVERS AND WATERWAYS.
11. CONTAINER DISPOSAL – Triple rinse container emptying washings into spray tank and spray onto crop. Perforate and flatten rinsed container to make it unusable or burn it and bury crushed container or ashes in a recommended disposal pit in a secure location away from water sources or arable land. Do not use empty container for any other purpose.
12. RE-ENTRY: Do not enter treated area before spray deposits on leaf surfaces have dried, unless wearing protective clothing.

### SYMPTOMS OF POISONING:

Lethargy, Ataxia and Convulsions.

### FIRST AID:

1. **General advice** - Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely. Place and transport victim in stable position (lying sideways).
2. **Inhalation** - Move the victim to fresh air and keep at rest. If symptoms persist, call a physician.
3. **Skin contact** - in case of contact with skin wash off immediately with polyethylene glycol 400, then with plenty of water. If symptoms persist, call a physician.
4. **Eye contact** - Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
5. **Ingestion** - Do NOT induce vomiting. Rinse mouth, ingest activated charcoal. Call a physician or poison control centre immediately.

### NOTE TO PHYSICIAN:

**Treatment:** Treat symptomatically

Gastric lavage is not normally required. If a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

**Antidote:** No specific antidote known, "Contraindication: atropine."

### WARRANTY:

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label and the occurrence of resistance of the disease to the remedy concerned as well as by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

**DIRECTIONS FOR USE:** Use only as directed.

### RESISTANCE MANAGEMENT GUIDELINES:

To delay fungicide resistance:

- Avoid exclusive repeated use of **Infito**.
- Do not apply more than six sprays of **Infito** per season, alternate with registered products from different fungicide groups. Integrate other control methods such as cultural or biological into the spray programme.

### CROP TOLERANCE:

**Infito** is well tolerated by crops listed on this label, when used at the recommended label rates. As the different species and varieties of ornamentals may differ in their sensitivity to chemical sprays, users are advised always to check for crop compatibility by firstly treating a few plants before large scale application is undertaken.

### COMPATIBILITY:

**Infito** is compatible with **Decis Forte** and **Folicur 250 EW**.

**Infito** can be mixed with most commonly used insecticides. However, a pre-test on the physical compatibility and a plant safety test is recommended before widespread use of such a combination.

Do not tank mix **Infito** with products containing fentin acetate or fentin hydroxide.

### MIXING INSTRUCTIONS:

Add the required amount of **Infito** into spray tank half-filled with clean water with the agitation system in operation and then top up with water to the required level. Continue agitation at all times during spraying and stoppages until the tank is completely empty. Spray immediately after mixing.

CROP	DISEASE	DOSAGE	REMARKS
POTATOES & TOMATOES	Late blight ( <i>Phytophthora infestans</i> )	Mix 120 ml / 100 ℓ water and apply 500 -1000 //ha (1200 ml/ ha)	Start application when weather conditions favour infection, but before late blight symptoms are noticed. Increase volume of water in accordance with the amount of foliage. Ensure good coverage. Repeat at 7 to 10 day intervals depending on disease pressure.  <b>NOTE: Infito</b> should be applied in a tank mixture with <b>Folicur 250 EW</b> when conditions are also favourable for the development of early blight. Do not apply more than 6 <b>Infito</b> applications per growing season. <b>Harvest interval: Allow a minimum of 7 days between last application and harvesting.</b>
ROSES	Downy mildew ( <i>Peronospora sparsa</i> )	Mix 150 ml / 100 ℓ water. Apply as a high volume spray in a minimum of 1000 ℓ water/ha	Apply as a preventive treatment when weather conditions favour Downy mildew development and repeat at 10-14 day intervals. NB. Under heavy disease pressure the spray interval should be reduced to 7 days.

**Decis Forte**® and **Folicur**® are registered trademarks of the Bayer Group.

Bayer



# INFINITO<sup>®</sup>

687,5 SC

Reg. No. 12-B-47-4-B-91-1

CONTENTS:  
500 ml

**CAUTION**  
HARMFUL IF SWALLOWED

COMPOSITION:	mass/volume
Fluopicolide.....	62,5 g/l
Propamocarb-HCl.....	625 g/l
Inert ingredients.....	312,5 g/l

Chemical Group: Fluopicolide - Pyridinylmethyl-benzamide  
Propamocarb-HCl - Carbamate

**A FUNGICIDE WITH CONTACT AND SYSTEMIC ACTION,  
FORMULATED AS A SUSPENSION CONCENTRATE, FOR THE  
CONTROL OF LATE BLIGHT IN POTATOES &  
TOMATOES AND DOWNY  
MILDEW IN ROSES**

Packed For: Bayer Zimbabwe (Pvt) Ltd  
P.O. Box AY 78, Ambby, Harare, Zimbabwe.  
Tel. 487211/487242  
IN CASE OF POISONING PLEASE PHONE: +27(0) 861 555 777  
Manufactured by: Bayer AG  
**Infito<sup>®</sup>** is a registered trademark of the Bayer Group.



## Bayer

Batch No.: See on pack  
Date of Manufacture: See on pack

Zim/0124/Infito 687.5 SC 500 ml/  
Label and Booklet - Code: ZW90432359A



CAUTION

