

**TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE
PRECAUTIONS**

- 1.Handle with care. Avoid splashing and contact with eyes, nose and mouth.
- 2.Poisonous by swallowing, inhalation and contact with skin.
- 3.**WEAR FULL PERSONAL PROTECTIVE EQUIPMENT (PPE)** i.e. rubber gloves, rubber boots, overalls, hood, goggles and respirator when preparing and using this product.
- 4.**KEEP APART FROM FOOD AND FOOD STUFFS.**
- 5.**DO NOT** eat, drink or smoke while preparing and applying this product.
- 6.**ON COMPLETION OF SPRAYING REMOVE PERSONAL PROTECTIVE CLOTHING, WASH FACE, HANDS AND BODY WITH SOAP AND RUNNING WATER BEFORE ENGAGING IN ANY ACTIVITIES.**
- 7.**KEEP OUT OF REACH OF CHILDREN AND UNIFORMED PERSONS.**
- 8.**TOXIC TO LIVESTOCK AND DOMESTIC PETS. TOXIC TO AQUATIC ORGANISMS.**
- 9.Store in the original container and **KEEP UNDER LOCK AND KEY.**
- 10.**DO NOT** contaminate drinking pools, screams, water bodies with the chemical or empty containers.
- 11.Prevent drift onto other crops and areas not under treatment.

SYMPTOMS OF POISONING:

No specific symptoms of poisoning. Causes skin irritation, Causes eye irritation. May cause an allergic skin reaction.

FIRST AID:

Inhalation: If product is inhaled, remove person to fresh air. If not breathing, give artificial respiration. Seek medical attention if breathing problems develop.

Skin contact: Remove contaminated clothing. Wash skin and hair thoroughly; do two soap and water washings. Get medical advice/attention.

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion: If product swallowed in any form, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek immediate medical attention

Call Drug and Toxicology Information Services (DATIS) on +263242307148/+263786100098

NOTE TO PHYSICIAN:

Antidote: There is no specific antidote. Treat symptomatically.

EMPTY CONTAINER DISPOSAL

Invert the container over the spray tank or mixing tank. Allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water to a minimum of 25% of the container. Add the rinsate to the contents of the spray tank. Destroy the empty container by perforation and flattening. **DO NOT** use for any other purposes. If possible, offer the container for recycling and reuse.

CLEANING OF APPLICATION EQUIPMENT

After use, ensure traces of Mesozine Mixx 260 OD are removed. Use the following method:

- a) Drain and rinse tank, spray boom and hoses with clean water for at least 10 minutes [rinse at least 3 times].
- b) Fill tank with clean water and add to it 1 liter of household bleach [Sodium hydrochlorite,5%] per 200 liters of water. Rinse hoses and spray boom and leave in tank for 15minutes whilst agita ng. Drain through nozzle outlets.
- c) Repeat step (b) and after that, rinse thoroughly with water. Dispose of the wash water safely in a collection sump where it will not contaminate crops, grazing, rivers, dams and boreholes.

WARRANTY:

The excellent results which this chemical normally yields are not however warranted or guaranteed as the effectiveness can be greatly influenced by factors outside the control of either the manufacturer or the distributor. No warranty whatsoever expressed or implied is therefore given concerning the effectiveness of this chemical. Any responsibility is specifically excluded for any damage, injury or loss of any kind of loss during or resulting from its handling, use or storage wether or not such has been in accordance with label directions.




Mesozine MIXX

260 OD

Reg. No.:
23-C-151-60-C-131-90-C-92-40

CONTENTS:
1L



HARMFUL IF SWALLOWED

Composition:.....mass/volume

Mesotrione: 40 g/l
Nicosulfuron: 20 g/l
Terbutylazine: 200 g/l
Inert ingredients: 740g/l

Chemical group: Mesotrione: Triketone /Nicosulfuron: Sulfonylurea / Terbutylazine: Chlorotriazine

A selective pre - and early post-emergence herbicide for the control of both annual grasses and broadleaf weeds in maize.

Manufactured by:
Shandong Weifang Rainbow Chemical Co., Ltd.
Binhai Economic Development Area, Weifang, Shandong, China
Tel: +86-531-88875222, 88875231

Distributed By:
Trowbar Enterprises (PVT) LTD. T/A MAGUIRES
196 Harare Drive, Borrowdale, Harare, Zimbabwe
+263 (0242) 852 131

Date of Manufacture:
Expiry Date:
Batch No.:



DIRECTION FOR USE:

USE AS DIRECTED.

DO NOT use on any crop other than maize.

DO NOT apply if a soil insecticide based on an Organophosphate has been applied.

Grazing restriction: to avoid possible illegal residues, **DO NOT** graze or feed forage from treated areas for 60 days following application.

MIXING INSTRUCTIONS

Half fill the spray container with clean water; Add the required amount of Mesozine Mixx 260 OD to the spray container and top up with water to the required volume while agitating continuously.

Use the prepared mixture immediately. **DO NOT** prepare more spray mixture than is needed for immediate application. **DO NOT** allow to stand overnight.

APPLICATION RATES:

Crop	Weeds	Dosage/ha	Application directions
Maize	Fingergrass, Crowfoot, Rapoko, Buffalo grass, Natal Red Top, Burggrass, Wild Sorghum, Urochloa, Carrot seed grass, Volentear cereals, Yellow Nutsedge, Shamba grass (<i>Rottboellia cochinchinensis</i>) and many broadleaf weeds	2,0-2,5L Or 67-80 ml in 16L knapsack	Higher rate suitable for heavier soil types.Use 400 - 600 lt of spraying mixture per ha. For optimal results: Grasses less than 5cm tall & Broadleaves less than 8cm tall. Application Timing: Pre-emergence: (as for the crop)- Post-emergence: When the crop is up to and including the 3rd leaf stage. Field maize may be treated up to 30cm tall. Note: Applications should NOT be made to maize crops that are under stress , as this may lead to incidences of more persistent crop damage, such as loss of vigour, particularly when poorer growing conditions follow treatment. This may cause loss of yield. Take tare to ensure that the spray mixture is evenly applied at the recommended dose to a healthy crop.

RE-ENTRY PERIOD

DO NOT enter the treated area for at least 24 hours after treatment. Animals should not be allowed into the treated area for at least 3 weeks.

COMPATIBILITY

Compatible with most of the commonly used pesticides and other crop protection products. However all mixtures should be tested prior to field application.

Pre- harvest interval (PHI):

DO NOT harvest forage, grain, of stover within 60 days after application.

Crop Rotation

Crop	Time(months)
Cereals (wheat, oats, barley)	5
Maize(field)	Anytime
Peas	24
Vegetables	24
Cotton	12
Sunflower	12