

METHOMYL 900SP

Reg. No.: 12-D-5-15
TRB. No.: 16-18-D-52

110g Net



VERY DANGEROUS POISON

**INHALATION OF SPRAY VERY HARMFUL - HARMFUL
BY SKIN ABSORPTION**

Composition	(mass/mass)
Methomyl.....	90%
Inert ingredients	10%

Chemical Group: Carbamate

**A CONTACT AND STOMACH CARBAMATE INSECTICIDE
WITH SYSTEMIC PROPERTIES FOR THE CONTROL OF A
VARIETY OF INSECTS ON VARIOUS CROPS.**

KEEP OUT OF REACH OF CHILDREN

Registration held by/distributed by:



Cnr Hunter/Soutter Roads, New Ardennie, Harare, ZIMBABWE

1. Triple rinse clean container after use
2. Recycle holes in bottom
3. Return to Magpies Recycling Facility / Return to nearest recycling facility

DIRECTIONS FOR USE: Use only as directed.

MIXING INSTRUCTIONS

Add the required amount to a half-full spray tank and mix thoroughly. Fill up slowly while agitating by either mechanical or hydraulic means. Agitation is also essential before and during application to ensure proper mixing of the insecticide.

APPLICATION RATES:

CROP/PESTS	DOSAGE	REMARKS
CRUCIFERAE Caterpillars of the Diamond-back moth Greater cabbage moth Aphids	50g/100l water	Apply when worms first appear on the leaves. Use up to 500l spray mixture/ha. During hot weather and peak infestations, shorten the spray intervals to between 3 and 5 days. Ensure thorough wetting.
American bollworm	100g/ha	Apply in sufficient water to ensure good coverage.
BEANS American bollworm	250g/ha	Ensure good coverage of the plants and apply up to 500l spray mixture/ha.
GRAIN SORGHUM MAIZE American bollworm	200g/ha or 50g/100l water	Apply in 100-200l water when pest is noticed. Apply up to 400l spray mixture/ha.
TOBACCO Budworm	110g/100l water or 275g/ha 333g/ha	Spray at 250 litre mix/Ha Spray at 250 litre mix/Ha Spray at 150 litre mix/Ha
Laceworn Lesser Armyworm TRB No: 16-18-D-52	110g/100l water	
TOMATOES American bollworm, Leafminer, Aphids, Thrips	50g/100l water	Apply as a full cover spray as soon as fruit begin to set or earlier if necessary and repeat at 7 to 10 day intervals during the growing season. 500 litre mix/ha

WARNINGS:

WITHHOLDING PERIOD: The following number of days should be allowed between last application and harvest of the crop:

Citrus (20g /100l dosage), tomatoes.....	2 days
Cruciferae.....	4 days
Tobacco (flue-cured), grain sorghum, maize, pastures.....	7 days
Tobacco (air-cured), green beans.....	14 days
Citrus (higher than 20g /100l dosage).....	28 days

Handle with extreme care. Poisonous when absorbed through the skin, swallowed or inhaled- small quantities may be fatal if swallowed or inhaled. Toxic to fish, bees, and wildlife. Store under lock and key in a cool place, away from food and feedstuffs. Keep container well closed. Keep out of reach of children, uninformed persons and animals. **IN CASE OF POISONING, CALL A MEDICAL DOCTOR IMMEDIATELY and make this label available to him.**

PRECAUTIONS:

Do not inhale spray mist or fumes. Avoid contact with skin, eyes or clothing. If contact occurs, wash immediately with soap and water. Wear full protective clothing, suitable respirator, rubber gloves and boots when preparing and applying the spray. Wash with soap and water after use. Prevent drift onto other crops, grazing, rivers, dams or areas not under treatment. Clean applicator after use and dispose of wash water where it will not contaminate food, grazing, rivers or dams. Destroy empty container by perforation and flattening and never use for any other purpose. Prevent contamination of food, feeds, drinking water and eating utensils and do not eat, drink or smoke whilst applying or mixing or before washing hands and face and change of clothing.

SYMPTOMS OF HUMAN POISONING:

Headaches, fatigue, faintness, giddiness, excessive sweating, nausea, abdominal pains, vomiting, diarrhoea, tightness of the chest, anxiety, blurred vision, muscle twitching beginning with the eyelids and the tongue, small pupils, respiratory distress, convulsions, coma.

FIRST AID TREATMENT:

Remove patient from source of poisoning to a cool, well-ventilated area and keep him quiet and reassured. Remove contaminated clothing and rinse contaminated body areas thoroughly with plenty of soap and water. Do not rub skin. Flush contamination out of eyes with clean water for at least 15 minutes. If swallowed, induce vomiting by licking the back part of the throat. Repeat until vomit fluid is clear and free from the smell of poison. Administer artificial respiration or closed chest cardiac massage if necessary. Do not apply direct mouth-to-mouth respiration. Never give anything by mouth to an unconscious person.

TAKE THE PATIENT IMMEDIATELY TO THE NEAREST PHYSICIAN.

NOTE TO PHYSICIAN:

Administer atropine sulphate, intravenously (1-4mg) every 5-15 minutes until signs of atropinisation (dry flushed skin and tachycardia) occur. Pralidoxime (2-PAM, Protopam) and other oximes are contra-indicated.

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

THIS PRODUCT WHEN STORED IN ITS UNOPENED ORIGINAL CONTAINER AWAY FROM DIRECT SUNLIGHT AND IN A COOL, DRY PLACE WILL BE FIT FOR USE FOR AT LEAST 18 MONTHS.

Date of Manufacture:

Batch Number:

Manufactured by:
NOVA AGRO (HK) LTD
27/F Tesbury Centre
28 Queen's Road East
Wanchai, HONG KONG

Registration held by/distributed by:



Cnr Hunter/Soutter Roads, New Ardennie, Harare, ZIMBABWE