

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : ORONDIS ULTRA

Design code : A21591C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fungicide

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG
Postfach
CH-4002 Basel
Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address : sds.ch@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

EUH208 Contains 1,2-benzisothiazol-3-one. May produce an allergic reaction.

Precautionary statements :

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
mandipropamid (ISO)	374726-62-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 20 - < 25
oxathiapiprolin	1003318-67-9	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	>= 0.025 - < 0.05
bronopol (INN)	52-51-7 200-143-0	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.025 - < 0.1

For explanation of abbreviations see section 16.

ORONDIS ULTRA

Version	Revision Date:	SDS Number:	This version replaces all previous
2.0	03.04.2017	S00036810957	versions.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.
-

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	03.04.2017	S00036810957	

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : No special storage conditions required. Keep containers

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

areas and containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
mandipropamid (ISO)	374726-62-2	TWA	5 mg/m ³	Syngenta
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-	25322-68-3	TWA	1,000 mg/m ³	CH SUVA
Further information	Harm to the unborn child is not to be expected when the OEL-value is respected			

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

- Eye protection : No special protective equipment required.
- Hand protection
Remarks : No special protective equipment required.
- Skin and body protection : No special protective equipment required.
Select skin and body protection based on the physical job requirements.
- Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Protective measures : The use of technical measures should always have priority

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version	Revision Date:	SDS Number:	This version replaces all previous
2.0	03.04.2017	S00036810957	versions.

over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	opaque
Colour	:	off-white to light brown
pH	:	7.68
		Concentration: 1 % w/v
Density	:	1.0159 g/cm ³ (25 °C)
		1.083 g/cm ³ (20 °C)
Auto-ignition temperature	:	approximately 460 °C
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

See section "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Corrosive in contact with metals
---------------------	---	----------------------------------

10.4 Conditions to avoid

Conditions to avoid	:	No decomposition if used as directed.
---------------------	---	---------------------------------------

10.5 Incompatible materials

Materials to avoid	:	Aluminium Mild steel Iron
--------------------	---	---------------------------------

10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapours.

ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.33 mg/l
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Components:

mandipropamid (ISO):

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.19 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

oxathiapiprolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

bronopol (INN):

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute toxicity estimate: 500 mg/kg
Method: Converted acute toxicity point estimate

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after

ORONDIS ULTRA

Version 2.0	Revision Date: 03.04.2017	SDS Number: S00036810957	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	---

single contact with skin.

Acute toxicity estimate: 1,100 mg/kg
Method: Converted acute toxicity point estimate

Skin corrosion/irritation

Product:

Species: Rabbit
Result: No skin irritation

Components:

mandipropamid (ISO):

Species: Rabbit
Result: No skin irritation

oxathiapiprolin:

Species: Rabbit
Result: No skin irritation

1,2-benzisothiazol-3(2H)-one:

Result: Irritating to skin.

bronopol (INN):

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Species: Rabbit
Result: No eye irritation

Components:

mandipropamid (ISO):

Species: Rabbit
Result: No eye irritation

oxathiapiprolin:

Species: Rabbit
Result: No eye irritation

1,2-benzisothiazol-3(2H)-one:

Result: Risk of serious damage to eyes.

bronopol (INN):

Result: Risk of serious damage to eyes.

ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

Respiratory or skin sensitisation

Product:

Test Type: [mouse lymphoma cells](#)
Species: [Mouse](#)
Result: [Did not cause sensitisation on laboratory animals.](#)

Components:

mandipropamid (ISO):

Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.

oxathiapiprolin:

Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.

1,2-benzisothiazol-3(2H)-one:

Result: Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Components:

mandipropamid (ISO):

Germ cell mutagenicity-Assessment : Animal testing did not show any mutagenic effects.

oxathiapiprolin:

Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects., Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

mandipropamid (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

oxathiapiprolin:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

Reproductive toxicity

Components:

mandipropamid (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

oxathiapiprolin:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

STOT - single exposure

Components:

bronopol (INN):

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Repeated dose toxicity

Components:

mandipropamid (ISO):

Remarks: No adverse effect has been observed in chronic toxicity tests.

oxathiapiprolin:

Remarks: No significant adverse effects were reported

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 80 mg/l
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.38 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life., Classification of the product is based on the summation of the concentrations of classified components.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects., Classification of the product is based on the summation of the concentrations of classified components.

Components:

mandipropamid (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.1 mg/l
Exposure time: 48 h
- EC50 (Crassostrea virginica (eastern oyster)): 0.97 mg/l
Exposure time: 96 h
- Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2.5 mg/l
Exposure time: 72 h
- NOEC (Pseudokirchneriella subcapitata (green algae)): 1.3 mg/l
End point: Growth rate
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0.5 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.076 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

oxathiapiprolin:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.65 mg/l
Exposure time: 24 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.67 mg/l
Exposure time: 24 h

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): >= 0.142 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.46 mg/l
Exposure time: 88 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: Early-life Stage

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.75 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0.058 mg/l
Exposure time: 32 d
Species: Americamysis bahia (Mysid shrimp)

M-Factor (Chronic aquatic toxicity) : 1

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

bronopol (INN):

Toxicity to algae : NOEC (algae): 0.0025 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

12.2 Persistence and degradability

Components:

mandipropamid (ISO):

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life: 4.5 - 26 d
Remarks: Product is not persistent.

oxathiapiprolin:

Biodegradability : Result: Not readily biodegradable.

bronopol (INN):

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

mandipropamid (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.
Partition coefficient: n-octanol/water : log Pow: 3.2 (25 °C)

oxathiapiprolin:

Bioaccumulation : Remarks: Does not bioaccumulate.

12.4 Mobility in soil

Components:

mandipropamid (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.
Stability in soil : Percentage dissipation: 50 % (DT50: 26 - 178 d)
Remarks: Product is not persistent.

oxathiapiprolin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

Components:

mandipropamid (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Other adverse effects

Components:

mandipropamid (ISO):

Additional ecological information : No data available

oxathiapiprolin:

Additional ecological information : No data available

1,2-benzisothiazol-3(2H)-one:

Additional ecological information : No data available

bronopol (INN):

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(MANDIPROPAMID AND OXATHIPIPROLIN)
ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(MANDIPROPAMID AND OXATHIPIPROLIN)
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(MANDIPROPAMID AND OXATHIPIPROLIN)
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(MANDIPROPAMID AND OXATHIPIPROLIN)
IATA : Environmentally hazardous substance, liquid, n.o.s.
(MANDIPROPAMID AND OXATHIPIPROLIN)

14.3 Transport hazard class(es)

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (E)
RID

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Marine pollutant : yes

IATA (Cargo)

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version 2.0 Revision Date: 03.04.2017 SDS Number: S00036810957 This version replaces all previous versions.

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations : Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H335 : May cause respiratory irritation.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Eye Dam. : Serious eye damage
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



ORONDIS ULTRA

Version	Revision Date:	SDS Number:	This version replaces all previous
2.0	03.04.2017	S00036810957	versions.

on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CH / EN