



# Ortiva® 250SC

## SAFETY PRECAUTIONS

Do not eat, drink, or smoke while using this product.

### BASE LABEL

#### FOR SAFETY WHEN MIXING

- **Wear eye protection** (at least glasses). Undiluted ORTIVA® may irritate your eyes. If you get it in your eyes, wash it out at once. **See First Aid.**
- **Wear synthetic rubber gloves.** Undiluted ORTIVA® may irritate your skin. If you get it on your skin, wash it off at once. If you spill it on your clothes, change and wash them immediately.
- After emptying container, rinse it three times adding washings to the spray tank.

#### FOR SAFETY WHEN SPRAYING

- As with all chemicals, **avoid contact with the spray** as much as you can.
- To avoid harming fish, do not spray over water.
- Dispose of unwanted spray solution by spraying off on waste ground.

#### FOR SAFETY AFTER SPRAYING

- Dispose of empty rinsed container by crushing or cutting, then burning or burying. **Do not use** for any other purpose.
- Do not dump unwanted ORTIVA® in water.
- **Wash yourself.** Change and wash your work clothes.
- Keep unused ORTIVA® in original container, tightly closed, **locked up out of reach of children** and away from food.

#### FIRST AID

**EYE SPLASHES:** Hold eyelids apart and pour in a gentle stream of water for 10 to 15 minutes. Go to a doctor.

**SKIN CONTACT:** Wash with water followed by soap and water. Go to a doctor if skin is affected.

**If ORTIVA® is SWALLOWED, do not make the person vomit.** Take person, and this container, to a DOCTOR AT ONCE.

**NOTE TO PHYSICIAN:** If gastric lavage is performed, take care to prevent aspiration of gastric contents. Consider administration of activated charcoal and a laxative. Treat symptomatically.

**SYMPTOMS OF POISONING:** There are no specific symptoms of poisoning known for this compound. It is expected that, following ingestion, nausea, vomiting, diarrhea and abdominal pain may occur.

**ANTIDOTE:** There is no specific antidote.

7. RATES

Crop and disease	Method and rate of application	Volume of application per 100 m <sup>2</sup>	Target amount of fungicide per 100 m <sup>2</sup>	Remarks
Tobacco seedbeds (Alternaria) TRB Cert. No.: 11-14-B-56. Consult TRB handbook for detailed instructions.	<b>High Volume Sprays:</b> 150 ml/10 litres of water	Spray No. 2: 2 litres	30 ml	Start spraying with a contact fungicide 6 weeks after sowing. Apply no more than 3 Ortiva® sprays. Alternate with contact fungicides and bactericides. Apply 1 week after a contact spray.
		Spray No. 4: 4 litres	60 ml	
		Spray No. 6: 6 litres	90 ml	
	<b>Ultra Low Volume Sprays:</b> 75 ml/litre of water	Spray No. 2: 400 ml	30 ml	As above.
		Spray No. 4: 400 ml	60 ml	
		Spray No. 6: 600 ml	90 ml	

CROP	DISEASE	DOSAGE	REMARKS
Tobacco lands	Alternaria	1 litre/ha	Apply a maximum of two sprays at 14 days intervals beginning at 6-8 weeks after planting. Change to another product with a different mode of action e.g. Score® 250 EC on the third spray.
Hypericum flowers	Rust ( <i>Melampsora hypericorum</i> )	800 ml/ha (80 ml/100 litres water)	Start spraying before onset of disease. Repeat every 1-2 weeks. Use shorter interval in wet, humid conditions. Ensure good coverage of leaves.


L158337 ZIMB/05P - PPE 341012



**syngenta®**

Reg. No.: 00-B-73-1

**5 Litres**



**CAUTION**

HARMFUL IF SWALLOWED

**BEFORE YOU OPEN THE CONTAINER, READ THE ENTIRE LABEL.**

**TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.**

**Registered by:**  
**Syngenta Agro Services**  
 P.O. Box 1088, Harare  
 Suite Za, Julia's Parade  
 Sam Levy's Village  
 Borrowdale, Tel.: 0772 402 477

**Emergency Call Number:**  
 Syngenta Alarm Centre  
 Huddersfield, UK  
 Tel.: +44 1484 538 444  
 Fax: +44 1484 554 093

**Shelf Life:**  
 Minimum 2 years if stored in a cool dry place in original unopened container.

**COMPOSITION:** (m/v)  
 Azoxyrostrobin ..... 250 g / litre  
 Inert ingredients ..... up to 1 litre  
 Chemical group: strobilurin

**A SUSPENSION CONCENTRATE CONTACT AND SYSTEMIC BROAD SPECTRUM FUNGICIDE FOR THE CONTROL OF ALTERNARIA IN TOBACCO SEEDBEDS AND LANDS AND FUNGAL DISEASES IN FLOWERS AS LISTED.**

® Registered Trademark of a Syngenta Group Company

Product names marked ® or ™, the ALLIANCE FRAME the SYNGENTA Logo and the PURPOSE ICON are Trademarks of a Syngenta Group Company



Retirez s'il vous plait avant l'impression. Por favor, eliminar antes de imprimir.



## SAFETY PRECAUTIONS

Do not eat, drink, or smoke while using this product.

### FOR SAFETY WHEN MIXING

- **Wear eye protection** (at least glasses). Undiluted ORTIVA® may irritate your eyes. If you get it in your eyes, wash it out at once. **See First Aid.**
- **Wear synthetic rubber gloves.** Undiluted ORTIVA® may irritate your skin. If you get it on your skin, wash it off at once. If you spill it on your clothes, change and wash them immediately.
- After emptying container, rinse it three times adding washings to the spray tank.

### FOR SAFETY WHEN SPRAYING

- As with all chemicals, avoid contact with the spray as much as you can.
- To avoid harming fish, do not spray over water.
- Dispose of unwanted spray solution by spraying off on waste ground.

### FOR SAFETY AFTER SPRAYING

- Dispose of empty rinsed container by crushing or cutting, then burning or burying. Do not use for any other purpose.
- Do not dump unwanted ORTIVA® in water.
- **Wash yourself.** Change and wash your work clothes.
- Keep unused ORTIVA® in original container, tightly closed, **locked up out of reach of children** and away from food.

## FIRST AID

**EYE SPLASHES:** Hold eyelids apart and pour in a gentle stream of water for 10 to 15 minutes. Go to a doctor.

**SKIN CONTACT:** Wash with water followed by soap and water. Go to a doctor if skin is affected.

If ORTIVA® is **SWALLOWED**, do not make the person vomit. Take person, and this container, to a DOCTOR AT ONCE.

NOTE TO PHYSICIAN: If gastric lavage is performed, take care to prevent aspiration of gastric contents. Consider administration of activated charcoal and a laxative. Treat symptomatically.

**SYMPTOMS OF POISONING:** There are no specific symptoms of poisoning known for this compound. It is expected that, following ingestion, nausea, vomiting, diarrhea and abdominal pain may occur.

**ANTIDOTE:** There is no specific antidote.

## DIRECTIONS FOR USE.

### 1. WARNINGS

#### PRE HARVEST INTERVAL

Minimum number of days between last application and harvesting:  
flowers: 3 days; tobacco seedlings: 7 days.

## 2. COMPATIBILITY

ORTIVA® is compatible with most insecticides and fungicides. As compatibility can be adversely affected by the quality of the water used in the mixture, the manufacturer recommends that a trial mixture be done using the water intended for spraying.

## 3. MIXING

Half fill the sprayer tank with clean water. Shake the ORTIVA® container well. Add the recommended volume of ORTIVA® to the water while agitating. Top up tank with required volume of water.

## 4. DESCRIPTION

ORTIVA® is a broad spectrum contact, systemic and translaminar fungicide. ORTIVA® prevents spore germination, early fungal growth and sporulation.

For best results ORTIVA® should be applied preventatively in blocks of 2 sprays.

For disease resistance management the 2 sprays of ORTIVA® should be separated by at least 2 fungicide sprays from a different chemical group.

## 5. APPLICATION

In all cases apply as a full cover preventative spray. Avoid run-off.

Spray intervals: 5-14 days. Short intervals are for wet/humid conditions. Long intervals can be followed under dry conditions.

## 6. DISCLAIMER:

All products supplied by Syngenta Agrochemicals are to be used only in accordance with the recommendations and instructions given on the labels provided with this pack. Further, although it is believed that all products supplied by us are of high quality and are suitable, for the purposes indicated on the label, since we cannot exercise control over the every day use of products, we do not give any warranty, whatsoever as to their quality and fitness for purposes and we will not accept any responsibility whatsoever for damage arising from the storage, handling, application or use of our products.

® Registered Trademark of a Syngenta Group Company

### Registered by: Syngenta Agro Services

P.O. Box 1088, Harare  
Suite Za, Julia's Parade  
Sam Levy's Village  
Borrowdale, Tel.: 0772 402 477

### Emergency Call Number:

Syngenta Alarm Centre, Huddersfield, UK  
Tel.: +44 1484 538 444, Fax: +44 1484 554 093