



# OXAMYL 310 SL

Reg. No.  
11-E-6-10


Net Contents  
5 litres



**VERY DANGEROUS POISON  
HARMFUL BY SKIN ABSORPTION  
INHALATION OF THE SPRAY EXTREMELY HARMFUL  
THE CONCENTRATE IS FLAMMABLE**

A water-soluble liquid systemic nematocide / insecticide to control nematodes in potatoes.

Composition (mass/vol)  
Oxamyl ..... 310 g/lt  
Inert ingredients ..... to 1 lt  
Chemical Group: Carbamate



Registered by  
**Fercochem (Pty.) Ltd.**  
P.O Box BW 1252  
Harare | Zimbabwe  
Telephone: 494547

*Benchmarking a  
better future*



Manufactured by  
**AVIMA (Pty.) Ltd.**  
Reg. No. 1961/001744/07  
18 Aschenberg Street  
Chamdor | Krugersdorp  
+27 11 769 1300



## **PRECAUTIONS:**

- Handle with care, avoid splashing / contact with the skin.
- **WEAR FULL PROTECTIVE WATERPROOF CLOTHING**, i.e. Overalls, rubber boots, rubber gloves, hood and respirator.
- **DO NOT** eat, drink or smoke while applying this nematicide / insecticide.
- Remove protective clothing on completion of spraying and wash hands and face thoroughly with soap and water.
- **DANGEROUS TO WILD ANIMALS, BIRDS, FISH AND BEES.**
- **DANGEROUS TO LIVESTOCK AND DOMESTIC PETS**
- **DO NOT** CONTAMINATE DRINKING POOLS, DAMS, RIVERS, WATERWAYS, AND OTHER WATER SUPPLIES.
- **KEEP OUT OF REACH OF CHILDREN.**
- **KEEP APART FROM FOODS AND FOODSTUFFS.**
- Store in original container in a cool, dry ventilated place. **KEEP UNDER LOCK AND KEY.**
- Destroy empty container after use - dispose of wash water where it will not contaminate crops, grazing, rivers or dams and other water supplies.
- Avoid drift onto adjacent crops.

## **SYMPTOMS OF POISONING:**

These may include: nausea, vomiting, diarrhoea, abdominal cramps, headache, vertigo, tightness of the chest, anxiety, excessive sweating, weakness, fatigue, respiratory distress, convulsions, coma.

## **FIRST AID MEASURES:**

Call a doctor at once, but continue with first aid treatment. Show attending doctor this label. Remove patient from source of poisoning to a cool, well-ventilated area and keep him / her calm and reassured.

**Ingestion:** If swallowed and patient is conscious, rinse mouth thoroughly with water. NEVER give anything by mouth to an unconscious person. DO NOT apply direct mouth to mouth respiration.

**Eye contact:** Immediately flush eyes with copious amount of clean lukewarm water, with eyelids held open for at least 15 minutes.

**Inhalation:** If breathing has ceased or is weak, give artificial respiration.

**Skin:** Remove contaminated clothing immediately and wash body area thoroughly with soap and water. Do not rub the skin.

## **NOTE TO PHYSICIAN:**

If consciousness level declines or vomiting has not occurred in 15 minutes, empty stomach by gastric lavage. Administer atropine sulphate 0.4 to 2.0 mg repeated every 15 minutes, until atropinisation (dry flushed skin and tachycardia) appears.

## **WARRANTY:**

The excellent results which this chemical should normally yield are not however warranted or guaranteed, as effectiveness can be greatly influenced by factors outside the control of either the manufacturers of the suppliers.

No warranty whatsoever is therefore, express or implied, is therefore given concerning the performance or effectiveness of this chemical and responsibility is specifically excluded for any damage, injury or loss of any kind during or resulting from its handling, use or storage. This product is warranted to consist of the ingredients shown on the label.

## READ THE LABEL BEFORE USE

### A WATER-SOLUBLE LIQUID SYSTEMIC NEMATOCIDE/INSECTICIDE FOR THE CONTROL OF NEMATODES IN POTATOES

#### DIRECTIONS FOR USE:

Use only as directed. Optimal efficacy of Oxamyl 310 SL will be obtained in dilution water with a pH of 5-6. Water with a pH higher than 7, should be buffered to pH 5 to 6. Use a suitable adjuvant to adjust the pH of the water. A buffer must be mixed with the water before the Oxamyl 310 SL is added. Soils with high pH (i.e.) Alkaline) will result in reduced efficacy.

- Add the recommended amount of Oxamyl 310 SL to the water in the spray tank and maintain agitation. Use the spray mixture without delay and do not allow to stand for prolonged periods.
- Spraying should be carried out on cool windless days. Avoid spray drift onto other crops and areas not under treatment.

CROP	PEST	APPLICATION RATE PER 100 LITRES WATER	APPLICATION DETAILS
Potatoes	Nematodes	7.91 lt/ha	<b>Soil-tuber spray:</b> After setting tubers spray into open furrow and close immediately.
		2.0 lt/ha	1st foliar spray at 250 lt/ha, 7 to 10 days after crop emergence.
		4.71 lt/ha	2nd foliar spray at 600 lt/ha, 35 days after crop emergence.
		4.71 lt/ha	3rd foliar spray at 600 lt/ha, 63 days after crop emergence.

NB. The soil treatment and at least two foliar sprays must be done in all cases. A third foliar spray may be necessary if the nematode infestation is known to be severe.

**Withholding period: Minimum number of days between last application and harvest is 40 days.**

**COMPATIBILITY: Incompatible with alkaline compounds (e.g. Bordeaux mixture) should not be mixed with this product.**

Label Code: 14:14:16

Batch number:

Shelf life: 2 years from date of manufacture if stored in the original unopened container under cool and dry conditions. Date manufactured:

A member of CropLife Zimbabwe