

**TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE
PRECAUTIONS**

1. Handle with care. Avoid splashing and contact with eyes, nose and mouth.
2. Poisonous by swallowing, inhalation and contact with skin.
3. **WEAR FULL PERSONAL PROTECTIVE EQUIPMENT (PPE)** i.e. rubber gloves, rubber boots, overalls, hood, goggles and respirator when preparing and using with this product.
4. **KEEP APART FROM FOOD AND FOOD STUFFS.**
5. **DO NOT** eat, drink or smoke while preparing and applying this product.
6. On completion of spraying remove personal protective clothing, wash face, hands and body with soap and running water before engaging in any activities.
7. **KEEP OUT OF REACH OF CHILDREN AND UNIFORMED PERSONS.**
8. Dangerous to livestock and domestic pets. Dangerous to aquatic organisms.
9. Store in the original container and **KEEP UNDER LOCK AND KEY.**
10. **DO NOT** contaminate drinking pools, streams, water bodies with the chemical or empty containers.
11. Prevent drift onto other crops and areas not under treatment.

SYMPTOMS OF POISONING:

No specific symptoms of poisoning. Over-exposure to the product or swallowing excessive amounts may cause irritation.

FIRST AID:

Inhalation: Move victim to fresh air. If not breathing properly, give artificial respiration. Seek medical attention.

Skin contact: Remove contaminated clothing and shoes and launder. Wash thoroughly with soap and running water.

Eye contact: Flush immediately with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Ingestion: If swallowed, wash the mouth with water provided person is conscious. Induce vomiting. Obtain medical attention immediately.

Call Drug and Toxicology Information Services (DATIS) on +263242307148/+26378610098 for more information.

NOTE TO PHYSICIAN:

Antidote: There is no specific antidote. Treat symptomatically.

EMPTY CONTAINER DISPOSAL

Invert the container over the spray tank or mixing tank. Allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water to a minimum of 25% of the container. Add the rinsate to the contents of the spray tank. Destroy the empty container by perforation and flattening. **DO NOT** use for any other purposes. If possible, offer the container for recycling and reuse.

CLEANING OF APPLICATION EQUIPMENT

After use, ensure traces of Rezim 500 SC are removed. Use the following method:


- a) Drain and rinse tank, spray boom and hoses with clean water for at least 10 minutes (rinse at least 3 times).
- b) Fill tank with clean water and add to it 1 liter of household bleach (Sodium hydrochlorite, 5%), or 1.5-liter household bleach (Sodium hypochlorite 3.5%) per 200 liters of water. Rinse hoses and spray boom and leave in tank for 15 minutes whilst agitating. Drain through nozzle outlets.
- c) Repeat step (b) and after that, rinse thoroughly with water. Dispose of the wash water safely in a collection sump where it will not contaminate crops, grazing, rivers, dams and boreholes.

WARRANTY:

The excellent results which this chemical normally yields are not however warranted or guaranteed as the effectiveness can be greatly influenced by factors outside the control of either the manufacturer or the distributor. No warranty whatsoever expressed or implied is therefore given concerning the effectiveness of this chemical. Any responsibility is specifically excluded for any damage, injury or loss of any kind of loss during or resulting from its handling, use or storage whether or not such has been in accordance with label directions.

Rezim 500 SC

Reg. No.:
24-C-7-113



HARMFUL IF SWALLOWED

CONTENTS:
1L

Composition:.....	mass/volume
Atrazine:.....	500 g/L
Inert ingredients:.....	500 g/L

Chemical group: Triazine

A systematic herbicide for the selective control of broadleaf weeds and certain grasses in maize and sorghum .

Manufactured by:
Shandong Weifang Rainbow Chemical Co., Ltd.
Binhai Economic Development Area, Weifang, Shandong, China
Tel: +86-531-88875222, 88875231

Distributed By:
Trowbar Enterprises (PVT) LTD. T/A MAGUIRES
196 Harare Drive, Borrowdale, Harare, Zimbabwe
+263 (0242) 852 131

Shelf Life: Two years from manufactured date if stored in a cool dry place in original unopened container.

Date of Manufacture:
Expiry Date:
Batch No.:



**DIRECTION FOR USE: USE AS DIRECTED.
MIXING INSTRUCTIONS**

Half fill the spray container with clean water. Add the required amount of Rezim 500 SC to the spray container and top up with water to the required volume while agitating continuously. Use the prepared mixture immediately. **DO NOT** prepare more spray mixture than is needed for immediate application. **DO NOT** allow to stand overnight.

APPLICATION RATES:

Rezim 500 SC should be applied post planting and either pre- or post-emergence of the crop. Rezim 500 SC should preferably be applied before the weeds emerge but may be applied early post-emergence provided weeds **DO NOT** exceed 30-35mm in height (2-3 leaf stage). Addition of a wetting agent may improve control of the emerged weeds. The spectrum of weeds controlled can be improved by combining Rezim 500 SC with other registered herbicides subject to observing label directions for the later.

Full strength application rates of Rezim 500 SC under favorable conditions should give long control of weeds normally susceptible to Atrazine.

WARNING

1. Certain in-bred lines may be susceptible to Rezim 500 SC.
2. **DO NOT** plant any crop other than maize on lands sprayed with Rezim 500 SC during the previous 12 months as severe damage may occur.
3. Should a crop other than maize or sorghum be planted after a period of 12 months on land previously treated with Rezim 500 SC, a thorough ploughing and deep cultivation should precede planting.
4. **DO NOT** plant legumes on sandy or gravelly soils which were treated in the previous 18 months with Rezim 500 SC.
5. Ensure that sufficient fertilizer is applied at planting to promote vigorous growth.

APPLICATION METHOD

GROUND: Rezim 500 SC may be applied by the conventional boom and nozzle sprayer with efficient agitation. Spray volume should be 200-400 litres/ha. Use proportionately lower quantities for band application.

AERIAL: Rezim 500 SC may be applied from the air provided weather conditions are such that a uniform coverage is achieved and total recovery rates are the same as the recommended dosage rates. Consult the Aerial Operator in this regard before spraying.

Soil	Clay %content soil	Maize		Sorghum	
		Dosage	16L knapsack sprayer	Dosage	16L knapsack sprayer
Sandy	0-30	3.5 L/ha	280mL	DO NOT use	
Loamy	30-40	4.5 L/ha	360mL	3.6 L/ha	280mL
Clay	40+	5.6 L/ha	448mL	4.5 L/ha	400mL

RE-ENTRY PERIOD

DO NOT enter the treated area for at least 24 hours after treatment.

COMPATIBILITY

Compatible with most of the commonly used pesticides and other crop protection products. However, all mixtures should be tested prior to field application.

LIST OF WEEDS CONTROLLED

Botanical Name	Common Name
<i>Rottboellia conchinchinesis</i>	Shamva grass
<i>Setaria pallide-fusca</i>	Garden bristlegress
<i>Amaranthus hybridus</i>	Cape pigweed
<i>Bidens pilosa</i>	Black jack
<i>Amaranthus spinosus</i>	Thorny pigweed
<i>Physalis angulata</i>	Wild gooseberry
<i>Tagetes minuta</i>	Tall khaki weed
<i>Vigna vexillata</i>	Wild-cowpea