



**SUREWAY™**

Restoring The Power Of Nature.

# ROOTSURE™

## Seed Coating

## Biocult® Mycorrhizae SC

**FERTILISER GROUP 3**

*Fertilizers, Farm Feeds and Remedies  
Act (Chapter 18:12) of 1996*

Biocult Mycorrhizae SC is a microbial product for root colonization which results in an increased yield potential, on the crops indicated on the label.

**BIOCULT SC IS NOT SUITABLE FOR FERTIGATION**

### Active Ingredients:

Endo-mycorrhizae ..... minimum 400 propagules/g  
Trichoderma Asperellum ..... minimum 1 x 10<sup>7</sup> CFU/KVE/g

### WARNINGS AND PRECAUTIONS:

- **Sealed product must be stored under dry conditions out of direct sunlight at ambient temperatures ( ±25°C) for up to 12 months.**
- It is not recommended to use after the expiry date.
- Do not store near agricultural remedies or any other products.
- Keep out of reach of children.
- Not harmful to humans and animals.
- Wash application equipment well with soap and water, rinse thoroughly before use.
- Do not apply through filters smaller than 100 microns.

**COMPATABILITY:** Please consult your agronomist for product specific compatibility. In the event you need to apply the product it is better to go with the incompatible application rate listed in the table overleaf.

THE REGISTRATION HOLDER GUARANTEES THE QUALITY IN THIS PACKAGE WHEN THE FOLLOWING IS ADHERED TO. BIOCULT MYCORRHIZAE WP IS USED PRIOR TO EXPIRY DATE, STORED PROPERLY, USED UNDER FAVOURABLE SOIL AND WEATHER CONDITIONS. BIOCULT MYCORRHIZAE WP IS USED IN ACCORDANCE WITH DIRECTIONS FOR USE INDICATED ON THIS PACKAGE. ALTHOUGH THIS PRODUCT HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS THE REGISTRATION HOLDER DOES NOT WARRANT THAT IT WILL BE EFFACIOUS UNDER ALL CONDITIONS BECAUSE THE ACTION AND EFFECT THEREOF MAY BE AFFECTED BY FACTORS SUCH AS ABNORMAL SOIL, CLIMATIC AND STORAGE CONDITIONS, QUALITY OF DILUTION WATER, COMPATIBILITY WITH OTHER SUBSTANCES NOT INDICATED ON THE LABEL AND THE OCCURRENCE OF RESISTANT CULTIVARS AGAINST THE PRODUCT CONCERNED, AS WELL AS BY THE METHOD, TIME AND ACCURACY OF APPLICATION. THE REGISTRATION HOLDER FURTHERMORE DOES NOT ACCEPT RESPONSIBILITY FOR DAMAGE TO CROPS, VEGETATION, THE ENVIRONMENT OR HARM TO MAN OR ANIMAL OR FOR LACK OF PERFORMANCE OF THIS PRODUCT CONCERNED DUE TO FAILURE OF THE USER TO FOLLOW THE LABEL INSTRUCTIONS OR TO THE OCCURRENCE OF CONDITIONS WHICH COULD NOT HAVE BEEN FORSEEN IN TERMS OF THE REGISTRATION. CONSULT YOUR SUPPLIER IN THE EVENT OF UNCERTAINTY.

# 150g

NET VOLUME



**DAMARA™**  
**BIO-AGRI**

Restoring The Power Of Nature.

**Registration Holder and Distributor:**  
**Saiwit Holdings (Pvt) Ltd., T/A Damara Bio-Agri**

Stand 583 Pomona Industrial Park, Harare, Zimbabwe.  
Tel: +263 867 700 5277 Email: sales@damarabioagri.com

**Biocult® is the registered trademark of AECl Ltd.**  
**Manufacturer: AECl Ltd.**

Bequelin Farm, Erf 918, Mondeor Road, Somerset West, 7129, SOUTH AFRICA  
Tel: +27 21 858 1140, +263 867 700 5277 Email: sales@damarabioagri.com

# Rootsure Seed Coating Commercial Rates

CROP	CONTENTS	APPLI-CATION	RATE/ HA	HA/ BOX	NOTES
Tobacco Lands (compatible nematocide)	Biocult SC	Planting Hole	37.5g	16	Compatible nematocide with Rootsure SC requires a single application: Apply 1.25L of Qwemikelp and 37.5g of Biocult SC into 450L/water. Cup this mixture into each planting hole using a 30ml cup.
	Qwemikelp		1.25L		
Tobacco Seedbeds	Biocult SC	At Sowing	75g	<i>Per bed - refer to notes</i>	<b>Can be applied at the same time as the seed.</b> Apply 1 x 150g Biocult SC into 5L Qwemikelp and mix well. Apply 10ml of this mixture to 90L water, and apply 3 x 30L drenches per 36m <sup>2</sup> bed.
	Qwemikelp		2.5L		
Potato Lands (compatible nematocide)	Biocult SC	Planting Furrow	60g	10	Compatible nematocide with Rootsure SC requires a single application: Apply 2L of Qwemikelp and 60g of Biocult SC/ha at planting into the planting furrow.
	Qwemikelp		2L		
Wheat and Soybeans	Biocult SC	Seed Dressing	37.5g	16	<b>Wheat</b> - Mix the Biocult SC with the Qwemikelp and apply the two products to the wheat seed as a seed dressing no more than 2 days pre-planting. The recommended rate is per 100 to 120kg wheat seed/ha. <b>Soybeans</b> - Mix the Biocult SC with your soybean Rhizobium inoculant. Apply this mixture to the seed as a seed dressing no more than 2 days pre-planting. 2 weeks after germination apply the Qwemikelp as a foliar. The recommended rate is per 100kg soybean seed/ha. <b>FOR BEST RESULTS IT IS RECOMMENDED TO TREAT THE SEED JUST BEFORE PLANTING.</b>
	Qwemikelp		1.25L		
Maize	Biocult SC	Seed Dressing	25g	24	Mix the Qwemikelp with the Biocult SC and apply to the maize seed as a seed dressing no more than 2 days pre-planting. The recommended rate is per 25kg maize seed/ha. <b>FOR BEST RESULTS IT IS RECOMMENDED TO TREAT THE SEED JUST BEFORE PLANTING.</b>
	Qwemikelp		0.85L		
Cotton	Biocult SC	Planting Furrow	37.5g	16	Mix the Biocult SC with the Qwemikelp and apply the two products into 450L water to the planting furrow.
	Qwemikelp		1.25L		
Horticulture (tomatoes, cucumbers, peppers etc.) (compatible nematocide)	Biocult SC	At Transplanting	60g	10	Compatible nematocide with Rootsure SC requires a single application: Apply 2L of Qwemikelp and 60g of Biocult SC/ha at transplanting, cupped into the planting hole.
	Qwemikelp		2L		
Sugarbeans	Biocult SC	Seed Dressing	37.5g	16	Mix the Biocult SC with your inoculant. Apply this mixture to the seed as a seed dressing no more than 2 days pre-planting. 2 weeks after germination apply the Qwemikelp as a foliar. The recommended rate is per 100kg sugarbean seed/ha. <b>FOR BEST RESULTS IT IS RECOMMENDED TO TREAT THE SEED JUST BEFORE PLANTING.</b>
	Qwemikelp		1.25L		