

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE

PRECAUTIONS:

1. **DO NOT** breathe vapours from sprays.
2. Wear protective clothing e.g. rubber gloves, overalls, when mixing and applying the insecticide.
3. Wash hands frequently and always before eating, smoking or using the toilet.
4. Avoid contact with skin, eyes and clothing.
5. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again.
6. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.
7. Keep away from direct sunlight.
8. Keep away from food, drink and animal feedstuffs.
9. **DO NOT** allow to get into surface water, drains and ground water.
10. Very toxic to aquatic life with long-lasting effects.
11. **DO NOT** reuse the container for any other purpose.

EMPTY CONTAINER DISPOSAL:

1. Rinse empty container three times with a volume water equal to at least one tenth of the volume of the container and add the rinsate to the contents of the spray tank before disposing of the container by perforation and flattening.
2. Destroy empty container by perforation and flattening and never use for any other purpose.
3. If possible, offer the container for recycling.

SYMPTOMS OF POISONING:

May be harmful if swallowed. The product is toxic by inhalation, in contact with skin and if swallowed. **Vayego** may cause burns, irritation to skin and serious risk of damage to the eyes.

FIRST AID:

General advice: Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation: Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact: Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion: Rinse mouth. **DO NOT** induce vomiting. Call a physician or poison control center immediately.

NOTE TO PHYSICIAN:

Treat symptomatically. In case of ingestion, gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, administering of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Packed For: Bayer Zimbabwe (Pvt) Ltd
P.O. Box AY 78, Amby, Harare, Zimbabwe.
Tel. 487211/487242

IN CASE OF POISONING PLEASE PHONE: +27(0) 861 555 777

Manufactured by Bayer AG

Vayego® is a registered trademark of Bayer AG, Germany.

Batch No.: See on pack
Date of Manufacture: See on pack

Zim/0320/Vayego 200 SC 1L/Label Booklet
Code: ZW A

Bayer



LIFT HERE



Reg. No. 18-D-211-1

CONTENTS: 1L

CAUTION
HARMFUL IF SWALLOWED

COMPOSITION:	MASS/VOL
Tetraniliprole.....	200 g/l
Inert ingredients	800 g/l

Chemical Group: Anthranilic diamide

**VAYEGO 200 SC IS A FAST ACTING INSECTICIDE
FOR THE CONTROL OF BUDWORMS
IN TOBACCO.**



CAUTION



FRONT

TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS SUBSTANCE IS AN OFFENCE.

PRECAUTIONS:

1. **DO NOT** breathe vapours from sprays.
2. Wear protective clothing e.g. rubber gloves, overalls, when mixing and applying the insecticide.
3. Wash hands frequently and always before eating, smoking or using the toilet.
4. Avoid contact with skin, eyes and clothing.
5. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again.
6. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.
7. Keep away from direct sunlight.
8. Keep away from food, drink and animal feedstuffs.
9. **DO NOT** allow to get into surface water, drains and ground water.
10. Very toxic to aquatic life with long-lasting effects.
11. **DO NOT** reuse the container for any other purpose.

EMPTY CONTAINER DISPOSAL:

1. Rinse empty container three times with a volume water equal to at least one tenth of the volume of the container and add the rinsate to the contents of the spray tank before disposing of the container by perforation and flattening.
2. Destroy empty container by perforation and flattening and never use for any other purpose.
3. If possible, offer the container for recycling.

SYMPTOMS OF POISONING:

May be harmful if swallowed. The product is toxic by inhalation, in contact with skin and if swallowed. **Vayego** may cause burns, irritation to skin and serious risk of damage to the eyes.

FIRST AID:

General advice: Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation: Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact: Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion: Rinse mouth. **DO NOT** induce vomiting. Call a physician or poison control center immediately.

NOTE TO PHYSICIAN:

Treat symptomatically. In case of ingestion, gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, administering of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

USE RESTRICTIONS:

Min. REI (Re-Entry Interval):

Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after the application).

Do not overspray and avoid drift to off-field areas. Even as the product has a low risk to fish, it is very toxic to aquatic invertebrates and may cause long-term adverse effects in the aquatic environment.

RESISTANCE WARNING:

Vayego 200 SC is classified as a ryanodine receptor modulator (IRAC Group 28) insecticide. It can be effectively used for the control of the majority of Lepidopteran pests species that are fully susceptible to the Ryanodine receptor modulator mode of action. Some of which display cross- resistance to all diamide products, particularly where many applications are made against targets with multiple generations per season.

Unless directed otherwise in the specific crop/insect sections of the label, the following practices are recommended to prevent or delay the development of insecticide resistance to **Vayego 200 SC** and to Group 28 insecticides:

- ? Apply **Vayego 200 SC** or other Group 28 insecticides using a “window” approach to avoid exposure of consecutive insect pest generations to the same mode of action. Three (3) successive applications of **Vayego 200 SC** are acceptable if they are used to treat a single insect generation.
- ? Avoid exclusive, repeated use of the product from the same chemical group.
Alternate with products from different chemical groups.
- ? Integrate other control methods (chemical, cultural, etc) in an Integrated Management Program for sustainable use.

For specific information on resistance management, contact your local Bayer AG representative.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

MIXING INSTRUCTIONS:

Half-fill the spray tank with water. Add the pre-mix to the tank. Add the **Vayego 200 SC** to the tank at this stage and then top up with water. Keep the chemical in continuous suspension by means of agitation. After each day's spraying, flush the tank out thoroughly with water. For optimum results, spray as soon as possible after mixing. Accurately calibrate spray equipment prior to application.

APPLICATION TABLE:

CROP	APPLICATION RATE	REMARKS
TOBACCO LANDS	38 ml per 100 litres water	Scout for pests every 5-7 days up to topping time. Apply Vayego 200 SC if there are more than 10 budworms per 100 plants. NB. On un-topped plants, ensure adequate spray penetration of the bud for optimum performance. Repeat the application at 7-10 day intervals depending on re-infestation and pest pressure. Maximum number of sprays is three (3) per season.

CLEANING OF APPLICATION EQUIPMENT:

Clean applicator thoroughly after use and ensure all traces of the chemical are removed. Make use of the following method:

1. Drain tank/knapsack and rinse sprays and hoses with clean water for at least 10 minutes.
2. Fill the tank/knapsack with clean water and add detergent or household bleach. Rinse hoses and spray boom and leave in the tank/knapsack for 15 minutes whilst agitating. Drain through nozzle outlets
3. Repeat step 2
4. Thereafter, rinse thoroughly with clean water and dispose of the wash water at a site designated for disposal of chemicals.

WARRANTY:

ALTHOUGH THIS REMEDY HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS, THE REGISTRATION HOLDER DOES NOT WARRANT THAT IT WILL BE EFFICACIOUS UNDER ALL CONDITIONS BECAUSE THE ACTION AND EFFECT THEREOF MAY BE AFFECTED BY FACTORS SUCH AS ABNORMAL SOIL, CLIMATIC AND STORAGE CONDITIONS, QUALITY OF DILUTION WATER, COMPATIBILITY WITH OTHER SUBSTANCES NOT INDICATED ON THE LABEL AND THE OCCURRENCE OF RESISTANCE OF THE PESTS TO THE REMEDY CONCERNED AS WELL AS BY THE METHOD, TIME AND ACCURACY OF APPLICATION. THE REGISTRATION HOLDER FURTHERMORE DOES NOT ACCEPT RESPONSIBILITY FOR DAMAGE TO CROPS, VEGETATION, THE ENVIRONMENT OR HARM TO MAN OR ANIMALS OR FOR LACK OF PERFORMANCE OF THE REMEDY CONCERNED DUE TO FAILURE OF THE USER TO FOLLOW THE LABEL INSTRUCTIONS OR TO THE OCCURRENCE OF CONDITIONS WHICH COULD NOT HAVE BEEN FORESEEN IN TERMS OF THE REGISTRATION. CONSULT THE SUPPLIER IN THE EVENT OF ANY UNCERTAINTY.

© Bayer (Pty) Ltd. All unauthorized reproduction of this label is forbidden.

Bayer

**TO CAUSE A HAZARD IN THE USE, STORAGE OR DISPOSAL OF THIS
SUBSTANCE IS AN OFFENCE**

PRECAUTIONS:

1. **DO NOT** breathe vapours from sprays.
2. Wear protective clothing e.g. rubber gloves, overalls, when mixing and applying the insecticide.
3. Wash hands frequently and always before eating, smoking or using the toilet.
4. Avoid contact with skin, eyes and clothing.
5. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again.
6. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.
7. Keep away from direct sunlight.
8. Keep away from food, drink and animal feedstuffs.
9. **DO NOT** allow to get into surface water, drains and ground water.
10. Very toxic to aquatic life with long-lasting effects.
11. **DO NOT** reuse the container for any other purpose.

EMPTY CONTAINER DISPOSAL:

1. Rinse empty container three times with a volume water equal to at least one tenth of the volume of the container and add the rinsate to the contents of the spray tank before disposing of the container by perforation and flattening.
2. Destroy empty container by perforation and flattening and never use for any other purpose.
3. If possible, offer the container for recycling.

SYMPTOMS OF POISONING:

May be harmful if swallowed. The product is toxic by inhalation, in contact with skin and if swallowed. **Vayego** may cause burns, irritation to skin and serious risk of damage to the eyes.

FIRST AID:

General advice: Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

Inhalation: Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact: Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion: Rinse mouth. **DO NOT** induce vomiting. Call a physician or poison control center immediately.

NOTE TO PHYSICIAN:

Treat symptomatically. In case of ingestion, gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, administering of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

Packed For: Bayer Zimbabwe (Pvt) Ltd
P.O. Box AY 78, Amby, Harare, Zimbabwe.
Tel. 487211/487242

IN CASE OF POISONING PLEASE PHONE: +27(0) 861 555 777

Manufactured by Bayer AG

Vayego® is a registered trademark of Bayer AG, Germany.

Batch No.: See on pack
Date of Manufacture: See on pack

Zim/0320/Vayego 200 SC 1L/Label Booklet
Code: ZW A



Reg. No. 18-D-211-1

CONTENTS: 1L

CAUTION
HARMFUL IF SWALLOWED

COMPOSITION:	MASS/VOL
Tetranilprole.....	200 g/l
Inert ingredients	800 g/l

Chemical Group: Anthranilic diamide

**VAYEGO 200 SC IS A FAST ACTING INSECTICIDE
FOR THE CONTROL OF BUDWORMS
IN TOBACCO.**

Bayer



CAUTION

